

Appendix 1.J
July 14, 2008

Southern New England/Mid-Atlantic (SNE/MA) Winter Flounder

Mark Terceiro
NEFSC

Groundfish Assessment Review Meeting
Woods Hole, MA

August 4-8, 2008

*THIS INFORMATION IS DISTRIBUTED SOLELY FOR THE PURPOSE OF
PRE-DISSEMINATION REVIEW UNDER APPLICABLE INFORMATION
QUALITY GUIDELINES. IT HAS NOT BEEN FORMALLY DISSEMINATED BY
NOAA. IT DOES NOT REPRESENT AND SHOULD NOT BE CONSTRUED TO
REPRESENT ANY AGENCY DETERMINATION OR POLICY.*




Figure 1. GARM3 ADAPT VPA BASE run survey index combined residuals: NEFSC Spring Survey ages 1-7.




Figure 2. GARM3 ADAPT VPA BASE run survey index combined residuals: NEFSC Fall Survey ages 1-3 (tuned to ages 2-4 in year+1).




Figure 3. GARM3 ADAPT VPA BASE run survey index combined residuals: NEFSC Winter Survey ages 1-5.




Figure 4. GARM3 ADAPT VPA BASE run survey index combined residuals: MADMF Spring Survey ages 2-5.




Figure 5. GARM3 ADAPT VPA BASE run survey index combined residuals: RIDFW Spring Survey ages 1-4.




Figure 6. GARM3 ADAPT VPA BASE run survey index combined residuals: CTDEP Spring Survey ages 1-7.




Figure 7. GARM3 ADAPT VPA BASE run survey index combined residuals: MADMF, CTDEP, and NYDEC age 1 indices (recruitment indices).




Figure 8. GARM3 ADAPT VPA BASE run survey index combined residuals: NJDFW Ocean survey ages 3-7.




Figure 9. GARM3 ADAPT VPA BASE run survey index combined residuals: NJDFW Rivers survey ages 3-7.




Figure 10. GARM3 ADAPT VPA SPLIT run survey index combined residuals: NEFSC Spring Survey ages 1-7.




Figure 11. GARM3 ADAPT VPA SPLIT run survey index combined residuals: NEFSC Fall Survey ages 2-4.




Figure 12. GARM3 ADAPT VPA SPLIT run survey index combined residuals: NEFSC Winter Survey ages 1- 5.




Figure 13. GARM3 ADAPT VPA SPLIT run survey index combined residuals: MADMF Spring Survey ages 2-5 .




Figure 14. GARM3 ADAPT VPA SPLIT run survey index combined residuals: RIDFW Spring Survey ages 1-4 .




Figure 15. GARM3 ADAPT VPA SPLIT run survey index combined residuals: CTDEP Spring Survey ages 1-4.




Figure 16. GARM3 ADAPT VPA PLIT run survey index combined residuals: MADMF, CTDEP, and NYDEC age 1 indices (recruitment indices).




Figure 17. GARM3 ADAPT VPA SPLIT run survey index combined residuals: NJDFW Ocean survey ages 3-7.




Figure 18. GARM3 ADAPT VPA SPLIT run survey index combined residuals: NJDFW Rivers survey ages 1-5.