

Table 3.7.b. Mean age distribution of adult Atlantic salmon that had been stocked as fry.

River		Age class (smolt age/sea age) distribution (%)											Age (years) distribution (%)				
		1.1	1.2	1.3	2.1	2.2	2.3	3.1	3.2	3.3	4.2		2	3	4	5	6
Merrimack		0.3	2.8	0.4	13.1	65.4	4.4	3.3	9.6	0.6	0.1		0.3	15.9	69.1	14.0	0.7
CT-mainstem		0.0	3.3	0.0	1.0	89.9	1.2	0.0	4.6	0.0	0.0		0.0	4.3	89.9	5.8	0.0
Farmington		0.7	31.3	0.0	2.2	62.9	0.0	0.0	2.9	0.0	0.0		0.7	33.5	62.9	2.9	0.0
Westfield		0.0	0.0	0.0	0.8	93.7	0.0	0.0	5.5	0.0	0.0		0.0	0.8	93.7	5.5	0.0
Narraguagus		0.0	0.0	0.0	9.8	90.2	0.0	0.0	0.0	0.0	0.0		0.0	9.8	90.2	0.0	0.0
Penobscot		0.0	0.0	0.0	15.9	61.2	1.0	0.0	21.9	0.0	0.0		0.0	15.9	61.2	22.8	0.0