

Table 10. TOP: Estimated total live releases (catch type B2, number) of scup (*Stenotomus chrysops*) by recreational fishermen as estimated by the Marine Recreational Information Program (MRIP). Proportional Standard Error (PSE) is for the TOTAL landings estimate. BOTTOM - Percentage difference in estimated total live releases (catch type B2, number) of scup by recreational fishermen as estimated by the Marine Recreational Fisheries Statistics Survey (MRSSS) and MRIP ([MRIP-MRFSS]/MRFSS). Positive value indicates MRIP estimate is larger. MRIP Estimates are currently available only for 2004-2011.

STATE	2004	2005	2006	2007	2008	2009	2010	2011
CT	538,241	752,749	739,778	1,006,174	974,212	1,204,388	1,192,329	576,941
DE	241	2,303	7,611	9,784	2,428	1,563	576	7
MD	5,279	1,531	34,790	1,742	6,322	586	24	161
MA	1,486,750	751,180	1,096,029	1,183,159	1,687,442	1,741,140	1,857,722	1,373,564
NJ	164,381	449,233	802,174	502,779	316,003	146,919	524,877	33,098
NY	3,514,103	1,737,255	2,621,812	1,963,724	2,838,176	2,124,306	1,864,138	929,213
NC	497	389	6,290	4,800	8,723	4,364	1,045	4,379
RI	517,673	689,788	801,281	613,147	1,386,018	332,505	536,204	765,426
VA	45,471	63,940	75,605	22,404	8,262	18,635	23,081	9,287
TOTAL	6,272,637	4,448,369	6,185,371	5,307,714	7,227,587	5,574,406	5,999,997	3,692,075
PSE (%)	15	18	15	12	11	11	11	14

STATE	2004	2005	2006	2007	2008	2009	2010	2011	TOTAL
CT	39%	5%	1%	16%	-14%	27%	4%	9%	8%
DE	-91%	-30%	-20%	11%	9%	-45%	103%	-99%	-21%
MD	-75%	-10%	-41%	-12%	-45%	-12%	-9%	28%	-47%
MA	74%	45%	18%	26%	43%	36%	21%	56%	38%
NJ	-36%	-17%	47%	-27%	-43%	-45%	14%	-8%	-12%
NY	40%	37%	5%	23%	-14%	-3%	-7%	-9%	8%
NC	11%	-32%	-17%	5%	-11%	46%	-26%	-19%	-7%
RI	0%	4%	-9%	-17%	8%	0%	-7%	45%	2%
VA	-33%	101%	143%	133%	-29%	3%	-20%	9%	29%
TOTAL	36%	19%	9%	10%	-3%	10%	4%	23%	11%