

Table 8. TOP: Estimated total landings (catch types A + B1, number) of scup (*Stenotomus chrysops*) by recreational fishermen as estimated by the Marine Recreational Information Program (MRIP). Proportional Standard Error (PSE) is for the TOTAL landings estimate. BOTTOM: Percentage difference in estimated total landings (catch types A + B1, number) of scup by recreational fishermen as estimated by the Marine Recreational Fisheries Statistics Survey (MRSSS) and MRIP ($[(MRIP-MRFSS)/MRFSS]$). Positive value indicates MRIP estimate is larger. MRIP Estimates are currently available only for 2004-2011.

STATE	2004	2005	2006	2007	2008	2009	2010	2011
CT	1,072,232	508,296	532,362	925,236	549,083	288,702	1,087,681	1,071,802
DE	518	3,870	319	2,365	1,338	821	0	50
MD	1,095	1,832	226	305	104	32	18	0
MA	3,312,973	656,524	424,968	1,769,960	761,612	1,069,275	925,222	1,011,190
NJ	60,141	118,667	327,202	99,320	87,186	174,809	739,901	41,825
NY	1,876,973	859,156	1,677,998	1,596,391	1,450,860	1,460,314	1,990,340	496,635
NC	1,710	3,714	14,444	5,268	13,843	3,989	7,580	26,257
RI	816,894	430,747	470,286	353,450	632,839	139,576	398,178	405,423
VA	10,999	8,507	0	586	3,920	527	5,284	7,500
TOTAL	7,153,535	2,591,313	3,447,806	4,752,881	3,500,785	3,138,045	5,154,203	3,060,683
PSE (%)	13	17	20	22	13	14	12	13

STATE	2004	2005	2006	2007	2008	2009	2010	2011	TOTAL
CT	90%	-30%	3%	34%	-18%	26%	8%	36%	16%
DE	-65%	1%	-50%	30%	27%	-15%		134%	-6%
MD	-83%	8%	-49%	16%	-20%	0%	-31%	-100%	-61%
MA	119%	65%	35%	143%	15%	38%	10%	39%	67%
NJ	-48%	-5%	31%	-11%	-34%	-38%	34%	-22%	2%
NY	19%	25%	31%	0%	-10%	11%	7%	-33%	7%
NC	-13%	9%	17%	-7%	-33%	37%	49%	-12%	-6%
RI	-10%	-3%	10%	-22%	11%	-19%	-9%	-23%	-7%
VA	26%	82%		-27%	42%	-75%	22%	-51%	-4%
TOTAL	52%	8%	23%	32%	-5%	13%	9%	6%	19%