

**Table 9. TOP: Estimated total landings (catch types A + B1, metric tons) of scup (*Stenotomus chrysops*) by recreational fishermen as estimated by the Marine Recreational Information Program (MRIP). Proportional Standard Error (PSE) is for the TOTAL landings estimate. BOTTOM: Percentage difference in estimated total landings (catch types A + B1, metric tons) of scup by recreational fishermen as estimated by the Marine Recreational Fisheries Statistics Survey (MRSSS) and MRIP ( $[(MRIP-MRFSS)/MRFSS]$ ). Positive value indicates MRIP estimate is larger. MRIP Estimates are currently available only for 2004-2011.**

STATE	2004	2005	2006	2007	2008	2009	2010	2011
CT	512	249	353	487	261	163	611	627
DE	0	2	0	1	0	0	0	0
MD	0	1	0	0	0	0	0	0
MA	1,384	335	199	629	371	397	464	484
NJ	28	32	106	39	33	64	282	17
NY	998	398	760	786	757	770	1,191	258
NC	0	1	5	1	6	1	3	11
RI	354	194	259	141	284	66	161	235
VA	2	3	0	0	1	0	2	0
TOTAL	3,278	1,215	1,681	2,085	1,713	1,462	2,715	1,632
PSE (%)	12	16	19	20	14	13	12	14

STATE	2004	2005	2006	2007	2008	2009	2010	2011	TOTAL
CT	88%	-34%	6%	38%	-45%	23%	12%	37%	11%
DE	208%	4465%	-65%	27%	27%	-23%		177%	112%
MD	-63%	2%	-46%	-1%	-41%	18%	-50%	-100%	-30%
MA	154%	86%	100%	120%	23%	31%	4%	25%	67%
NJ	-45%	4%	48%	6%	-34%	-37%	35%	-28%	4%
NY	45%	16%	21%	0%	0%	8%	6%	-35%	9%
NC	174%	12%	24%	-7%	-33%	45%	45%	-16%	-8%
RI	-3%	-10%	25%	-26%	15%	-18%	-15%	-24%	-6%
VA	24%	37%		+9303%	36%	-74%	12%	-90%	-22%
TOTAL	71%	5%	25%	26%	-7%	10%	8%	2%	18%