

Table 4. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: ATLANTIC SALMON

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
1	Longline	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
2	Longline	OPEN	all	NE	all	MET	MET	MET
3	Hand Line	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
4	Hand Line	OPEN	all	NE	all	UNKNOWN	MET	MET
5	Otter Trawl	OPEN	all	MA	sm	MET	MET	MET
6	Otter Trawl	OPEN	all	MA	lg	MET	MET	MET
7	Otter Trawl	OPEN	all	NE	sm	MET	MET	MET
8	Otter Trawl	OPEN	all	NE	lg	MET	MET	MET
9	Scallop Trawl	AA	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
10	Scallop Trawl	AA	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
11	Scallop Trawl	OPEN	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
12	Scallop Trawl	OPEN	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
13	Otter Trawl, Ruhle	OPEN	all	NE	lg		UNKNOWN	MET
14	Otter Trawl, Haddock Separator	OPEN	all	NE	lg			MET
15	Shrimp Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
16	Shrimp Trawl	OPEN	all	NE	all	MET	MET	MET
17	Floating Trap	OPEN	all	MA	all		UNKNOWN	UNKNOWN
18	Floating Trap	OPEN	all	NE	all		UNKNOWN	UNKNOWN
19	Sink, Anchor, Drift Gillnet	OPEN	all	MA	sm	MET	MET	UNKNOWN
20	Sink, Anchor, Drift Gillnet	OPEN	all	MA	lg	MET	UNKNOWN	MET
21	Sink, Anchor, Drift Gillnet	OPEN	all	MA	xl	MET	MET	MET
22	Sink, Anchor, Drift Gillnet	OPEN	all	NE	sm	UNKNOWN	UNKNOWN	UNKNOWN
23	Sink, Anchor, Drift Gillnet	OPEN	all	NE	lg	MET	MET	MET
24	Sink, Anchor, Drift Gillnet	OPEN	all	NE	xl	MET	MET	MET
25	Purse Seine	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
26	Purse Seine	OPEN	all	NE	all	MET	MET	MET
27	Scallop Dredge	AA	GEN	MA	all	MET	MET	UNKNOWN
28	Scallop Dredge	AA	GEN	NE	all	MET	MET	UNKNOWN
29	Scallop Dredge	AA	LIM	MA	all	MET	MET	MET
30	Scallop Dredge	AA	LIM	NE	all	MET	MET	MET
31	Scallop Dredge	OPEN	GEN	MA	all	MET	MET	MET
32	Scallop Dredge	OPEN	GEN	NE	all	MET	MET	MET
33	Scallop Dredge	OPEN	LIM	MA	all	MET	MET	MET
34	Scallop Dredge	OPEN	LIM	NE	all	MET	MET	MET
35	Mid-water paired & single Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
36	Mid-water paired & single Trawl	OPEN	all	NE	all	MET	MET	MET
37	Pots and Traps, Fish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
38	Pots and Traps, Fish	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
39	Pots and Traps, Conch	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: ATLANTIC SALMON

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
40	Pots and Traps, Conch	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
41	Pots and Traps, Hagfish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
42	Pots and Traps, Hagfish	OPEN	all	NE	all	MET	MET	MET
43	Pots and Traps, Shrimp	OPEN	all	NE	all		UNKNOWN	UNKNOWN
44	Pots and Traps, Lobster	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
45	Pots and Traps, Lobster	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
46	Pots and Traps, Crab	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
47	Pots and Traps, Crab	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
48	Beam Trawl	OPEN	all	MA	all		UNKNOWN	UNKNOWN
49	Beam Trawl	OPEN	all	NE	all		UNKNOWN	UNKNOWN
50	Dredge, Other	OPEN	all	MA	all		UNKNOWN	UNKNOWN
51	Ocean Quahog/Surf Clam Dredge	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
52	Ocean Quahog/Surf Clam Dredge	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: BLUEFISH

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
1	Longline	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
2	Longline	OPEN	all	NE	all	MET	MET	NOT MET
3	Hand Line	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
4	Hand Line	OPEN	all	NE	all	UNKNOWN	MET	NOT MET
5	Otter Trawl	OPEN	all	MA	sm	NOT MET	NOT MET	NOT MET
6	Otter Trawl	OPEN	all	MA	lg	NOT MET	NOT MET	NOT MET
7	Otter Trawl	OPEN	all	NE	sm	NOT MET	NOT MET	NOT MET
8	Otter Trawl	OPEN	all	NE	lg	MET	MET	NOT MET
9	Scallop Trawl	AA	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
10	Scallop Trawl	AA	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
11	Scallop Trawl	OPEN	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
12	Scallop Trawl	OPEN	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
13	Otter Trawl, Ruhle	OPEN	all	NE	lg		UNKNOWN	MET
14	Otter Trawl, Haddock Separator	OPEN	all	NE	lg			MET
15	Shrimp Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
16	Shrimp Trawl	OPEN	all	NE	all	MET	MET	MET
17	Floating Trap	OPEN	all	MA	all		UNKNOWN	UNKNOWN
18	Floating Trap	OPEN	all	NE	all		UNKNOWN	UNKNOWN
19	Sink, Anchor, Drift Gillnet	OPEN	all	MA	sm	NOT MET	NOT MET	UNKNOWN
20	Sink, Anchor, Drift Gillnet	OPEN	all	MA	lg	NOT MET	UNKNOWN	NOT MET
21	Sink, Anchor, Drift Gillnet	OPEN	all	MA	xl	NOT MET	NOT MET	NOT MET
22	Sink, Anchor, Drift Gillnet	OPEN	all	NE	sm	UNKNOWN	UNKNOWN	UNKNOWN
23	Sink, Anchor, Drift Gillnet	OPEN	all	NE	lg	NOT MET	NOT MET	NOT MET
24	Sink, Anchor, Drift Gillnet	OPEN	all	NE	xl	MET	NOT MET	NOT MET
25	Purse Seine	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
26	Purse Seine	OPEN	all	NE	all	MET	MET	MET
27	Scallop Dredge	AA	GEN	MA	all	MET	MET	UNKNOWN
28	Scallop Dredge	AA	GEN	NE	all	MET	MET	UNKNOWN
29	Scallop Dredge	AA	LIM	MA	all	MET	MET	MET
30	Scallop Dredge	AA	LIM	NE	all	MET	MET	NOT MET
31	Scallop Dredge	OPEN	GEN	MA	all	MET	NOT MET	MET
32	Scallop Dredge	OPEN	GEN	NE	all	MET	MET	MET
33	Scallop Dredge	OPEN	LIM	MA	all	MET	MET	MET
34	Scallop Dredge	OPEN	LIM	NE	all	NOT MET	MET	NOT MET
35	Mid-water paired & single Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
36	Mid-water paired & single Trawl	OPEN	all	NE	all	NOT MET	MET	NOT MET
37	Pots and Traps, Fish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
38	Pots and Traps, Fish	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
39	Pots and Traps, Conch	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: BLUEFISH

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
40	Pots and Traps, Conch	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
41	Pots and Traps, Hagfish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
42	Pots and Traps, Hagfish	OPEN	all	NE	all	MET	MET	MET
43	Pots and Traps, Shrimp	OPEN	all	NE	all		UNKNOWN	UNKNOWN
44	Pots and Traps, Lobster	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
45	Pots and Traps, Lobster	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
46	Pots and Traps, Crab	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
47	Pots and Traps, Crab	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
48	Beam Trawl	OPEN	all	MA	all		UNKNOWN	UNKNOWN
49	Beam Trawl	OPEN	all	NE	all		UNKNOWN	UNKNOWN
50	Dredge, Other	OPEN	all	MA	all		UNKNOWN	UNKNOWN
51	Ocean Quahog/Surf Clam Dredge	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
52	Ocean Quahog/Surf Clam Dredge	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: FLUKE - SCUP - BLACK SEA BASS

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
1	Longline	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
2	Longline	OPEN	all	NE	all	MET	MET	NOT MET
3	Hand Line	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
4	Hand Line	OPEN	all	NE	all	UNKNOWN	MET	MET
5	Otter Trawl	OPEN	all	MA	sm	NOT MET	NOT MET	MET
6	Otter Trawl	OPEN	all	MA	lg	MET	NOT MET	MET
7	Otter Trawl	OPEN	all	NE	sm	NOT MET	NOT MET	MET
8	Otter Trawl	OPEN	all	NE	lg	MET	MET	MET
9	Scallop Trawl	AA	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
10	Scallop Trawl	AA	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
11	Scallop Trawl	OPEN	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
12	Scallop Trawl	OPEN	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
13	Otter Trawl, Ruhle	OPEN	all	NE	lg		UNKNOWN	MET
14	Otter Trawl, Haddock Separator	OPEN	all	NE	lg			MET
15	Shrimp Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
16	Shrimp Trawl	OPEN	all	NE	all	MET	MET	NOT MET
17	Floating Trap	OPEN	all	MA	all		UNKNOWN	UNKNOWN
18	Floating Trap	OPEN	all	NE	all		UNKNOWN	UNKNOWN
19	Sink, Anchor, Drift Gillnet	OPEN	all	MA	sm	NOT MET	NOT MET	UNKNOWN
20	Sink, Anchor, Drift Gillnet	OPEN	all	MA	lg	MET	UNKNOWN	MET
21	Sink, Anchor, Drift Gillnet	OPEN	all	MA	xlg	NOT MET	NOT MET	NOT MET
22	Sink, Anchor, Drift Gillnet	OPEN	all	NE	sm	UNKNOWN	UNKNOWN	UNKNOWN
23	Sink, Anchor, Drift Gillnet	OPEN	all	NE	lg	NOT MET	NOT MET	NOT MET
24	Sink, Anchor, Drift Gillnet	OPEN	all	NE	xlg	MET	NOT MET	NOT MET
25	Purse Seine	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
26	Purse Seine	OPEN	all	NE	all	MET	MET	MET
27	Scallop Dredge	AA	GEN	MA	all	NOT MET	MET	UNKNOWN
28	Scallop Dredge	AA	GEN	NE	all	MET	MET	UNKNOWN
29	Scallop Dredge	AA	LIM	MA	all	NOT MET	MET	NOT MET
30	Scallop Dredge	AA	LIM	NE	all	MET	MET	MET
31	Scallop Dredge	OPEN	GEN	MA	all	NOT MET	NOT MET	NOT MET
32	Scallop Dredge	OPEN	GEN	NE	all	NOT MET	NOT MET	NOT MET
33	Scallop Dredge	OPEN	LIM	MA	all	MET	MET	MET
34	Scallop Dredge	OPEN	LIM	NE	all	MET	MET	MET
35	Mid-water paired & single Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
36	Mid-water paired & single Trawl	OPEN	all	NE	all	NOT MET	NOT MET	MET
37	Pots and Traps, Fish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: FLUKE - SCUP - BLACK SEA BASS

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
38	Pots and Traps, Fish	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
39	Pots and Traps, Conch	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
40	Pots and Traps, Conch	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
41	Pots and Traps, Hagfish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
42	Pots and Traps, Hagfish	OPEN	all	NE	all	MET	MET	MET
43	Pots and Traps, Shrimp	OPEN	all	NE	all		UNKNOWN	UNKNOWN
44	Pots and Traps, Lobster	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
45	Pots and Traps, Lobster	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
46	Pots and Traps, Crab	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
47	Pots and Traps, Crab	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
48	Beam Trawl	OPEN	all	MA	all		UNKNOWN	UNKNOWN
49	Beam Trawl	OPEN	all	NE	all		UNKNOWN	UNKNOWN
50	Dredge, Other	OPEN	all	MA	all		UNKNOWN	UNKNOWN
51	Ocean Quahog/Surf Clam Dredge	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
52	Ocean Quahog/Surf Clam Dredge	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: HERRING, ATLANTIC

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
1	Longline	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
2	Longline	OPEN	all	NE	all	MET	NOT MET	MET
3	Hand Line	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
4	Hand Line	OPEN	all	NE	all	UNKNOWN	MET	MET
5	Otter Trawl	OPEN	all	MA	sm	NOT MET	NOT MET	NOT MET
6	Otter Trawl	OPEN	all	MA	lg	NOT MET	NOT MET	NOT MET
7	Otter Trawl	OPEN	all	NE	sm	NOT MET	NOT MET	NOT MET
8	Otter Trawl	OPEN	all	NE	lg	MET	MET	MET
9	Scallop Trawl	AA	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
10	Scallop Trawl	AA	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
11	Scallop Trawl	OPEN	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
12	Scallop Trawl	OPEN	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
13	Otter Trawl, Ruhle	OPEN	all	NE	lg		UNKNOWN	MET
14	Otter Trawl, Haddock Separator	OPEN	all	NE	lg			MET
15	Shrimp Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
16	Shrimp Trawl	OPEN	all	NE	all	NOT MET	NOT MET	NOT MET
17	Floating Trap	OPEN	all	MA	all		UNKNOWN	UNKNOWN
18	Floating Trap	OPEN	all	NE	all		UNKNOWN	UNKNOWN
19	Sink, Anchor, Drift Gillnet	OPEN	all	MA	sm	MET	MET	UNKNOWN
20	Sink, Anchor, Drift Gillnet	OPEN	all	MA	lg	MET	UNKNOWN	MET
21	Sink, Anchor, Drift Gillnet	OPEN	all	MA	xl	NOT MET	MET	MET
22	Sink, Anchor, Drift Gillnet	OPEN	all	NE	sm	UNKNOWN	UNKNOWN	UNKNOWN
23	Sink, Anchor, Drift Gillnet	OPEN	all	NE	lg	NOT MET	NOT MET	NOT MET
24	Sink, Anchor, Drift Gillnet	OPEN	all	NE	xl	MET	NOT MET	NOT MET
25	Purse Seine	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
26	Purse Seine	OPEN	all	NE	all	NOT MET	NOT MET	NOT MET
27	Scallop Dredge	AA	GEN	MA	all	MET	MET	UNKNOWN
28	Scallop Dredge	AA	GEN	NE	all	MET	MET	UNKNOWN
29	Scallop Dredge	AA	LIM	MA	all	MET	MET	MET
30	Scallop Dredge	AA	LIM	NE	all	MET	NOT MET	MET
31	Scallop Dredge	OPEN	GEN	MA	all	MET	MET	MET
32	Scallop Dredge	OPEN	GEN	NE	all	MET	MET	MET
33	Scallop Dredge	OPEN	LIM	MA	all	NOT MET	NOT MET	MET
34	Scallop Dredge	OPEN	LIM	NE	all	NOT MET	MET	NOT MET
35	Mid-water paired & single Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
36	Mid-water paired & single Trawl	OPEN	all	NE	all	NOT MET	NOT MET	NOT MET
37	Pots and Traps, Fish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
38	Pots and Traps, Fish	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: HERRING, ATLANTIC

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
39	Pots and Traps, Conch	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
40	Pots and Traps, Conch	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
41	Pots and Traps, Hagfish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
42	Pots and Traps, Hagfish	OPEN	all	NE	all	MET	MET	MET
43	Pots and Traps, Shrimp	OPEN	all	NE	all		UNKNOWN	UNKNOWN
44	Pots and Traps, Lobster	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
45	Pots and Traps, Lobster	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
46	Pots and Traps, Crab	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
47	Pots and Traps, Crab	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
48	Beam Trawl	OPEN	all	MA	all		UNKNOWN	UNKNOWN
49	Beam Trawl	OPEN	all	NE	all		UNKNOWN	UNKNOWN
50	Dredge, Other	OPEN	all	MA	all		UNKNOWN	UNKNOWN
51	Ocean Quahog/Surf Clam Dredge	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
52	Ocean Quahog/Surf Clam Dredge	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: LARGE MESH GROUND FISH

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
1	Longline	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
2	Longline	OPEN	all	NE	all	NOT MET	MET	MET
3	Hand Line	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
4	Hand Line	OPEN	all	NE	all	UNKNOWN	NOT MET	NOT MET
5	Otter Trawl	OPEN	all	MA	sm	NOT MET	NOT MET	MET
6	Otter Trawl	OPEN	all	MA	lg	NOT MET	MET	MET
7	Otter Trawl	OPEN	all	NE	sm	NOT MET	NOT MET	NOT MET
8	Otter Trawl	OPEN	all	NE	lg	MET	MET	MET
9	Scallop Trawl	AA	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
10	Scallop Trawl	AA	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
11	Scallop Trawl	OPEN	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
12	Scallop Trawl	OPEN	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
13	Otter Trawl, Ruhle	OPEN	all	NE	lg		UNKNOWN	MET
14	Otter Trawl, Haddock Separator	OPEN	all	NE	lg			MET
15	Shrimp Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
16	Shrimp Trawl	OPEN	all	NE	all	NOT MET	MET	MET
17	Floating Trap	OPEN	all	MA	all		UNKNOWN	UNKNOWN
18	Floating Trap	OPEN	all	NE	all		UNKNOWN	UNKNOWN
19	Sink, Anchor, Drift Gillnet	OPEN	all	MA	sm	NOT MET	MET	UNKNOWN
20	Sink, Anchor, Drift Gillnet	OPEN	all	MA	lg	NOT MET	UNKNOWN	NOT MET
21	Sink, Anchor, Drift Gillnet	OPEN	all	MA	xl	MET	MET	NOT MET
22	Sink, Anchor, Drift Gillnet	OPEN	all	NE	sm	UNKNOWN	UNKNOWN	UNKNOWN
23	Sink, Anchor, Drift Gillnet	OPEN	all	NE	lg	MET	MET	MET
24	Sink, Anchor, Drift Gillnet	OPEN	all	NE	xl	NOT MET	NOT MET	NOT MET
25	Purse Seine	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
26	Purse Seine	OPEN	all	NE	all	MET	MET	NOT MET
27	Scallop Dredge	AA	GEN	MA	all	MET	MET	UNKNOWN
28	Scallop Dredge	AA	GEN	NE	all	MET	MET	UNKNOWN
29	Scallop Dredge	AA	LIM	MA	all	NOT MET	NOT MET	NOT MET
30	Scallop Dredge	AA	LIM	NE	all	MET	MET	NOT MET
31	Scallop Dredge	OPEN	GEN	MA	all	NOT MET	NOT MET	MET
32	Scallop Dredge	OPEN	GEN	NE	all	NOT MET	NOT MET	NOT MET
33	Scallop Dredge	OPEN	LIM	MA	all	MET	MET	NOT MET
34	Scallop Dredge	OPEN	LIM	NE	all	MET	MET	MET
35	Mid-water paired & single Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
36	Mid-water paired & single Trawl	OPEN	all	NE	all	NOT MET	NOT MET	NOT MET
37	Pots and Traps, Fish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
38	Pots and Traps, Fish	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: LARGE MESH GROUND FISH

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
39	Pots and Traps, Conch	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
40	Pots and Traps, Conch	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
41	Pots and Traps, Hagfish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
42	Pots and Traps, Hagfish	OPEN	all	NE	all	NOT MET	MET	MET
43	Pots and Traps, Shrimp	OPEN	all	NE	all		UNKNOWN	UNKNOWN
44	Pots and Traps, Lobster	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
45	Pots and Traps, Lobster	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
46	Pots and Traps, Crab	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
47	Pots and Traps, Crab	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
48	Beam Trawl	OPEN	all	MA	all		UNKNOWN	UNKNOWN
49	Beam Trawl	OPEN	all	NE	all		UNKNOWN	UNKNOWN
50	Dredge, Other	OPEN	all	MA	all		UNKNOWN	UNKNOWN
51	Ocean Quahog/Surf Clam Dredge	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
52	Ocean Quahog/Surf Clam Dredge	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: MONKFISH

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
1	Longline	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
2	Longline	OPEN	all	NE	all	NOT MET	NOT MET	NOT MET
3	Hand Line	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
4	Hand Line	OPEN	all	NE	all	UNKNOWN	MET	MET
5	Otter Trawl	OPEN	all	MA	sm	NOT MET	NOT MET	NOT MET
6	Otter Trawl	OPEN	all	MA	lg	NOT MET	MET	MET
7	Otter Trawl	OPEN	all	NE	sm	NOT MET	NOT MET	NOT MET
8	Otter Trawl	OPEN	all	NE	lg	MET	MET	MET
9	Scallop Trawl	AA	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
10	Scallop Trawl	AA	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
11	Scallop Trawl	OPEN	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
12	Scallop Trawl	OPEN	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
13	Otter Trawl, Ruhle	OPEN	all	NE	lg		UNKNOWN	MET
14	Otter Trawl, Haddock Separator	OPEN	all	NE	lg			MET
15	Shrimp Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
16	Shrimp Trawl	OPEN	all	NE	all	NOT MET	NOT MET	NOT MET
17	Floating Trap	OPEN	all	MA	all		UNKNOWN	UNKNOWN
18	Floating Trap	OPEN	all	NE	all		UNKNOWN	UNKNOWN
19	Sink, Anchor, Drift Gillnet	OPEN	all	MA	sm	MET	MET	UNKNOWN
20	Sink, Anchor, Drift Gillnet	OPEN	all	MA	lg	MET	UNKNOWN	NOT MET
21	Sink, Anchor, Drift Gillnet	OPEN	all	MA	xl	NOT MET	MET	NOT MET
22	Sink, Anchor, Drift Gillnet	OPEN	all	NE	sm	UNKNOWN	UNKNOWN	UNKNOWN
23	Sink, Anchor, Drift Gillnet	OPEN	all	NE	lg	MET	NOT MET	MET
24	Sink, Anchor, Drift Gillnet	OPEN	all	NE	xl	MET	MET	MET
25	Purse Seine	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
26	Purse Seine	OPEN	all	NE	all	MET	NOT MET	NOT MET
27	Scallop Dredge	AA	GEN	MA	all	MET	MET	UNKNOWN
28	Scallop Dredge	AA	GEN	NE	all	MET	MET	UNKNOWN
29	Scallop Dredge	AA	LIM	MA	all	MET	MET	MET
30	Scallop Dredge	AA	LIM	NE	all	MET	MET	MET
31	Scallop Dredge	OPEN	GEN	MA	all	NOT MET	MET	NOT MET
32	Scallop Dredge	OPEN	GEN	NE	all	NOT MET	NOT MET	NOT MET
33	Scallop Dredge	OPEN	LIM	MA	all	MET	MET	MET
34	Scallop Dredge	OPEN	LIM	NE	all	MET	MET	MET
35	Mid-water paired & single Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
36	Mid-water paired & single Trawl	OPEN	all	NE	all	NOT MET	NOT MET	NOT MET
37	Pots and Traps, Fish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
38	Pots and Traps, Fish	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: MONKFISH

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
39	Pots and Traps, Conch	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
40	Pots and Traps, Conch	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
41	Pots and Traps, Hagfish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
42	Pots and Traps, Hagfish	OPEN	all	NE	all	MET	MET	MET
43	Pots and Traps, Shrimp	OPEN	all	NE	all		UNKNOWN	UNKNOWN
44	Pots and Traps, Lobster	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
45	Pots and Traps, Lobster	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
46	Pots and Traps, Crab	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
47	Pots and Traps, Crab	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
48	Beam Trawl	OPEN	all	MA	all		UNKNOWN	UNKNOWN
49	Beam Trawl	OPEN	all	NE	all		UNKNOWN	UNKNOWN
50	Dredge, Other	OPEN	all	MA	all		UNKNOWN	UNKNOWN
51	Ocean Quahog/Surf Clam Dredge	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
52	Ocean Quahog/Surf Clam Dredge	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”)for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: RED CRAB

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
1	Longline	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
2	Longline	OPEN	all	NE	all	MET	MET	MET
3	Hand Line	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
4	Hand Line	OPEN	all	NE	all	UNKNOWN	MET	MET
5	Otter Trawl	OPEN	all	MA	sm	MET	NOT MET	NOT MET
6	Otter Trawl	OPEN	all	MA	lg	NOT MET	NOT MET	NOT MET
7	Otter Trawl	OPEN	all	NE	sm	MET	NOT MET	NOT MET
8	Otter Trawl	OPEN	all	NE	lg	MET	MET	NOT MET
9	Scallop Trawl	AA	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
10	Scallop Trawl	AA	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
11	Scallop Trawl	OPEN	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
12	Scallop Trawl	OPEN	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
13	Otter Trawl, Ruhle	OPEN	all	NE	lg		UNKNOWN	MET
14	Otter Trawl, Haddock Separator	OPEN	all	NE	lg			MET
15	Shrimp Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
16	Shrimp Trawl	OPEN	all	NE	all	MET	NOT MET	MET
17	Floating Trap	OPEN	all	MA	all		UNKNOWN	UNKNOWN
18	Floating Trap	OPEN	all	NE	all		UNKNOWN	UNKNOWN
19	Sink, Anchor, Drift Gillnet	OPEN	all	MA	sm	MET	NOT MET	UNKNOWN
20	Sink, Anchor, Drift Gillnet	OPEN	all	MA	lg	MET	UNKNOWN	MET
21	Sink, Anchor, Drift Gillnet	OPEN	all	MA	xlg	MET	MET	MET
22	Sink, Anchor, Drift Gillnet	OPEN	all	NE	sm	UNKNOWN	UNKNOWN	UNKNOWN
23	Sink, Anchor, Drift Gillnet	OPEN	all	NE	lg	NOT MET	NOT MET	NOT MET
24	Sink, Anchor, Drift Gillnet	OPEN	all	NE	xlg	MET	NOT MET	NOT MET
25	Purse Seine	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
26	Purse Seine	OPEN	all	NE	all	MET	MET	MET
27	Scallop Dredge	AA	GEN	MA	all	MET	MET	UNKNOWN
28	Scallop Dredge	AA	GEN	NE	all	NOT MET	MET	UNKNOWN
29	Scallop Dredge	AA	LIM	MA	all	MET	MET	MET
30	Scallop Dredge	AA	LIM	NE	all	NOT MET	MET	MET
31	Scallop Dredge	OPEN	GEN	MA	all	MET	MET	NOT MET
32	Scallop Dredge	OPEN	GEN	NE	all	MET	MET	MET
33	Scallop Dredge	OPEN	LIM	MA	all	MET	MET	NOT MET
34	Scallop Dredge	OPEN	LIM	NE	all	NOT MET	NOT MET	NOT MET
35	Mid-water paired & single Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
36	Mid-water paired & single Trawl	OPEN	all	NE	all	MET	MET	MET
37	Pots and Traps, Fish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
38	Pots and Traps, Fish	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”)for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: RED CRAB

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
39	Pots and Traps, Conch	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
40	Pots and Traps, Conch	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
41	Pots and Traps, Hagfish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
42	Pots and Traps, Hagfish	OPEN	all	NE	all	MET	MET	MET
43	Pots and Traps, Shrimp	OPEN	all	NE	all		UNKNOWN	UNKNOWN
44	Pots and Traps, Lobster	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
45	Pots and Traps, Lobster	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
46	Pots and Traps, Crab	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
47	Pots and Traps, Crab	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
48	Beam Trawl	OPEN	all	MA	all		UNKNOWN	UNKNOWN
49	Beam Trawl	OPEN	all	NE	all		UNKNOWN	UNKNOWN
50	Dredge, Other	OPEN	all	MA	all		UNKNOWN	UNKNOWN
51	Ocean Quahog/Surf Clam Dredge	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
52	Ocean Quahog/Surf Clam Dredge	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: SEA SCALLOP

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
1	Longline	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
2	Longline	OPEN	all	NE	all	NOT MET	NOT MET	NOT MET
3	Hand Line	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
4	Hand Line	OPEN	all	NE	all	UNKNOWN	MET	MET
5	Otter Trawl	OPEN	all	MA	sm	NOT MET	NOT MET	NOT MET
6	Otter Trawl	OPEN	all	MA	lg	NOT MET	MET	MET
7	Otter Trawl	OPEN	all	NE	sm	NOT MET	NOT MET	NOT MET
8	Otter Trawl	OPEN	all	NE	lg	MET	MET	MET
9	Scallop Trawl	AA	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
10	Scallop Trawl	AA	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
11	Scallop Trawl	OPEN	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
12	Scallop Trawl	OPEN	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
13	Otter Trawl, Ruhle	OPEN	all	NE	lg		UNKNOWN	MET
14	Otter Trawl, Haddock Separator	OPEN	all	NE	lg			MET
15	Shrimp Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
16	Shrimp Trawl	OPEN	all	NE	all	NOT MET	NOT MET	NOT MET
17	Floating Trap	OPEN	all	MA	all		UNKNOWN	UNKNOWN
18	Floating Trap	OPEN	all	NE	all		UNKNOWN	UNKNOWN
19	Sink, Anchor, Drift Gillnet	OPEN	all	MA	sm	MET	MET	UNKNOWN
20	Sink, Anchor, Drift Gillnet	OPEN	all	MA	lg	MET	UNKNOWN	MET
21	Sink, Anchor, Drift Gillnet	OPEN	all	MA	xlg	NOT MET	NOT MET	NOT MET
22	Sink, Anchor, Drift Gillnet	OPEN	all	NE	sm	UNKNOWN	UNKNOWN	UNKNOWN
23	Sink, Anchor, Drift Gillnet	OPEN	all	NE	lg	NOT MET	MET	NOT MET
24	Sink, Anchor, Drift Gillnet	OPEN	all	NE	xlg	NOT MET	NOT MET	NOT MET
25	Purse Seine	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
26	Purse Seine	OPEN	all	NE	all	MET	NOT MET	MET
27	Scallop Dredge	AA	GEN	MA	all	MET	MET	UNKNOWN
28	Scallop Dredge	AA	GEN	NE	all	MET	MET	UNKNOWN
29	Scallop Dredge	AA	LIM	MA	all	NOT MET	MET	NOT MET
30	Scallop Dredge	AA	LIM	NE	all	MET	MET	NOT MET
31	Scallop Dredge	OPEN	GEN	MA	all	NOT MET	MET	NOT MET
32	Scallop Dredge	OPEN	GEN	NE	all	NOT MET	NOT MET	NOT MET
33	Scallop Dredge	OPEN	LIM	MA	all	NOT MET	MET	NOT MET
34	Scallop Dredge	OPEN	LIM	NE	all	MET	MET	MET
35	Mid-water paired & single Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
36	Mid-water paired & single Trawl	OPEN	all	NE	all	MET	MET	MET
37	Pots and Traps, Fish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
38	Pots and Traps, Fish	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: SEA SCALLOP

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
39	Pots and Traps, Conch	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
40	Pots and Traps, Conch	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
41	Pots and Traps, Hagfish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
42	Pots and Traps, Hagfish	OPEN	all	NE	all	MET	MET	MET
43	Pots and Traps, Shrimp	OPEN	all	NE	all		UNKNOWN	UNKNOWN
44	Pots and Traps, Lobster	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
45	Pots and Traps, Lobster	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
46	Pots and Traps, Crab	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
47	Pots and Traps, Crab	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
48	Beam Trawl	OPEN	all	MA	all		UNKNOWN	UNKNOWN
49	Beam Trawl	OPEN	all	NE	all		UNKNOWN	UNKNOWN
50	Dredge, Other	OPEN	all	MA	all		UNKNOWN	UNKNOWN
51	Ocean Quahog/Surf Clam Dredge	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
52	Ocean Quahog/Surf Clam Dredge	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: SKATE COMPLEX

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
1	Longline	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
2	Longline	OPEN	all	NE	all	NOT MET	MET	MET
3	Hand Line	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
4	Hand Line	OPEN	all	NE	all	UNKNOWN	NOT MET	MET
5	Otter Trawl	OPEN	all	MA	sm	MET	NOT MET	MET
6	Otter Trawl	OPEN	all	MA	lg	MET	MET	MET
7	Otter Trawl	OPEN	all	NE	sm	NOT MET	NOT MET	NOT MET
8	Otter Trawl	OPEN	all	NE	lg	MET	MET	MET
9	Scallop Trawl	AA	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
10	Scallop Trawl	AA	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
11	Scallop Trawl	OPEN	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
12	Scallop Trawl	OPEN	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
13	Otter Trawl, Ruhle	OPEN	all	NE	lg		UNKNOWN	MET
14	Otter Trawl, Haddock Separator	OPEN	all	NE	lg			MET
15	Shrimp Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
16	Shrimp Trawl	OPEN	all	NE	all	NOT MET	NOT MET	NOT MET
17	Floating Trap	OPEN	all	MA	all		UNKNOWN	UNKNOWN
18	Floating Trap	OPEN	all	NE	all		UNKNOWN	UNKNOWN
19	Sink, Anchor, Drift Gillnet	OPEN	all	MA	sm	NOT MET	MET	UNKNOWN
20	Sink, Anchor, Drift Gillnet	OPEN	all	MA	lg	NOT MET	UNKNOWN	NOT MET
21	Sink, Anchor, Drift Gillnet	OPEN	all	MA	xlg	NOT MET	NOT MET	NOT MET
22	Sink, Anchor, Drift Gillnet	OPEN	all	NE	sm	UNKNOWN	UNKNOWN	UNKNOWN
23	Sink, Anchor, Drift Gillnet	OPEN	all	NE	lg	MET	MET	MET
24	Sink, Anchor, Drift Gillnet	OPEN	all	NE	xlg	MET	MET	MET
25	Purse Seine	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
26	Purse Seine	OPEN	all	NE	all	MET	NOT MET	MET
27	Scallop Dredge	AA	GEN	MA	all	MET	MET	UNKNOWN
28	Scallop Dredge	AA	GEN	NE	all	MET	MET	UNKNOWN
29	Scallop Dredge	AA	LIM	MA	all	NOT MET	MET	MET
30	Scallop Dredge	AA	LIM	NE	all	MET	MET	MET
31	Scallop Dredge	OPEN	GEN	MA	all	MET	NOT MET	MET
32	Scallop Dredge	OPEN	GEN	NE	all	NOT MET	NOT MET	NOT MET
33	Scallop Dredge	OPEN	LIM	MA	all	MET	MET	MET
34	Scallop Dredge	OPEN	LIM	NE	all	MET	MET	MET
35	Mid-water paired & single Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
36	Mid-water paired & single Trawl	OPEN	all	NE	all	NOT MET	NOT MET	NOT MET
37	Pots and Traps, Fish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
38	Pots and Traps, Fish	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
39	Pots and Traps, Conch	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: SKATE COMPLEX

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
40	Pots and Traps, Conch	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
41	Pots and Traps, Hagfish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
42	Pots and Traps, Hagfish	OPEN	all	NE	all	MET	MET	MET
43	Pots and Traps, Shrimp	OPEN	all	NE	all		UNKNOWN	UNKNOWN
44	Pots and Traps, Lobster	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
45	Pots and Traps, Lobster	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
46	Pots and Traps, Crab	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
47	Pots and Traps, Crab	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
48	Beam Trawl	OPEN	all	MA	all		UNKNOWN	UNKNOWN
49	Beam Trawl	OPEN	all	NE	all		UNKNOWN	UNKNOWN
50	Dredge, Other	OPEN	all	MA	all		UNKNOWN	UNKNOWN
51	Ocean Quahog/Surf Clam Dredge	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
52	Ocean Quahog/Surf Clam Dredge	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: SMALL MESH GROUND FISH

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
1	Longline	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
2	Longline	OPEN	all	NE	all	MET	NOT MET	NOT MET
3	Hand Line	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
4	Hand Line	OPEN	all	NE	all	UNKNOWN	MET	MET
5	Otter Trawl	OPEN	all	MA	sm	NOT MET	NOT MET	NOT MET
6	Otter Trawl	OPEN	all	MA	lg	NOT MET	NOT MET	NOT MET
7	Otter Trawl	OPEN	all	NE	sm	NOT MET	NOT MET	NOT MET
8	Otter Trawl	OPEN	all	NE	lg	MET	MET	MET
9	Scallop Trawl	AA	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
10	Scallop Trawl	AA	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
11	Scallop Trawl	OPEN	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
12	Scallop Trawl	OPEN	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
13	Otter Trawl, Ruhle	OPEN	all	NE	lg		UNKNOWN	MET
14	Otter Trawl, Haddock Separator	OPEN	all	NE	lg			MET
15	Shrimp Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
16	Shrimp Trawl	OPEN	all	NE	all	NOT MET	NOT MET	MET
17	Floating Trap	OPEN	all	MA	all		UNKNOWN	UNKNOWN
18	Floating Trap	OPEN	all	NE	all		UNKNOWN	UNKNOWN
19	Sink, Anchor, Drift Gillnet	OPEN	all	MA	sm	MET	MET	UNKNOWN
20	Sink, Anchor, Drift Gillnet	OPEN	all	MA	lg	MET	UNKNOWN	MET
21	Sink, Anchor, Drift Gillnet	OPEN	all	MA	xl	MET	NOT MET	MET
22	Sink, Anchor, Drift Gillnet	OPEN	all	NE	sm	UNKNOWN	UNKNOWN	UNKNOWN
23	Sink, Anchor, Drift Gillnet	OPEN	all	NE	lg	NOT MET	NOT MET	MET
24	Sink, Anchor, Drift Gillnet	OPEN	all	NE	xl	NOT MET	NOT MET	NOT MET
25	Purse Seine	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
26	Purse Seine	OPEN	all	NE	all	NOT MET	MET	NOT MET
27	Scallop Dredge	AA	GEN	MA	all	MET	NOT MET	UNKNOWN
28	Scallop Dredge	AA	GEN	NE	all	MET	MET	UNKNOWN
29	Scallop Dredge	AA	LIM	MA	all	MET	MET	NOT MET
30	Scallop Dredge	AA	LIM	NE	all	MET	MET	NOT MET
31	Scallop Dredge	OPEN	GEN	MA	all	NOT MET	NOT MET	NOT MET
32	Scallop Dredge	OPEN	GEN	NE	all	NOT MET	NOT MET	NOT MET
33	Scallop Dredge	OPEN	LIM	MA	all	MET	MET	NOT MET
34	Scallop Dredge	OPEN	LIM	NE	all	MET	MET	MET
35	Mid-water paired & single Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
36	Mid-water paired & single Trawl	OPEN	all	NE	all	NOT MET	NOT MET	NOT MET
37	Pots and Traps, Fish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
38	Pots and Traps, Fish	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: SMALL MESH GROUND FISH

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
39	Pots and Traps, Conch	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
40	Pots and Traps, Conch	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
41	Pots and Traps, Hagfish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
42	Pots and Traps, Hagfish	OPEN	all	NE	all	NOT MET	NOT MET	MET
43	Pots and Traps, Shrimp	OPEN	all	NE	all		UNKNOWN	UNKNOWN
44	Pots and Traps, Lobster	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
45	Pots and Traps, Lobster	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
46	Pots and Traps, Crab	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
47	Pots and Traps, Crab	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
48	Beam Trawl	OPEN	all	MA	all		UNKNOWN	UNKNOWN
49	Beam Trawl	OPEN	all	NE	all		UNKNOWN	UNKNOWN
50	Dredge, Other	OPEN	all	MA	all		UNKNOWN	UNKNOWN
51	Ocean Quahog/Surf Clam Dredge	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
52	Ocean Quahog/Surf Clam Dredge	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: SPINY DOGFISH

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
1	Longline	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
2	Longline	OPEN	all	NE	all	NOT MET	MET	NOT MET
3	Hand Line	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
4	Hand Line	OPEN	all	NE	all	UNKNOWN	NOT MET	MET
5	Otter Trawl	OPEN	all	MA	sm	NOT MET	NOT MET	MET
6	Otter Trawl	OPEN	all	MA	lg	MET	NOT MET	MET
7	Otter Trawl	OPEN	all	NE	sm	NOT MET	NOT MET	MET
8	Otter Trawl	OPEN	all	NE	lg	MET	MET	MET
9	Scallop Trawl	AA	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
10	Scallop Trawl	AA	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
11	Scallop Trawl	OPEN	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
12	Scallop Trawl	OPEN	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
13	Otter Trawl, Ruhle	OPEN	all	NE	lg		UNKNOWN	MET
14	Otter Trawl, Haddock Separator	OPEN	all	NE	lg			MET
15	Shrimp Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
16	Shrimp Trawl	OPEN	all	NE	all	MET	NOT MET	NOT MET
17	Floating Trap	OPEN	all	MA	all		UNKNOWN	UNKNOWN
18	Floating Trap	OPEN	all	NE	all		UNKNOWN	UNKNOWN
19	Sink, Anchor, Drift Gillnet	OPEN	all	MA	sm	NOT MET	NOT MET	UNKNOWN
20	Sink, Anchor, Drift Gillnet	OPEN	all	MA	lg	NOT MET	UNKNOWN	NOT MET
21	Sink, Anchor, Drift Gillnet	OPEN	all	MA	xlg	NOT MET	MET	NOT MET
22	Sink, Anchor, Drift Gillnet	OPEN	all	NE	sm	UNKNOWN	UNKNOWN	UNKNOWN
23	Sink, Anchor, Drift Gillnet	OPEN	all	NE	lg	MET	MET	MET
24	Sink, Anchor, Drift Gillnet	OPEN	all	NE	xlg	MET	MET	MET
25	Purse Seine	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
26	Purse Seine	OPEN	all	NE	all	NOT MET	NOT MET	NOT MET
27	Scallop Dredge	AA	GEN	MA	all	NOT MET	MET	UNKNOWN
28	Scallop Dredge	AA	GEN	NE	all	NOT MET	NOT MET	UNKNOWN
29	Scallop Dredge	AA	LIM	MA	all	MET	MET	NOT MET
30	Scallop Dredge	AA	LIM	NE	all	MET	MET	MET
31	Scallop Dredge	OPEN	GEN	MA	all	NOT MET	NOT MET	NOT MET
32	Scallop Dredge	OPEN	GEN	NE	all	MET	NOT MET	NOT MET
33	Scallop Dredge	OPEN	LIM	MA	all	MET	MET	NOT MET
34	Scallop Dredge	OPEN	LIM	NE	all	MET	MET	MET
35	Mid-water paired & single Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
36	Mid-water paired & single Trawl	OPEN	all	NE	all	NOT MET	MET	MET
37	Pots and Traps, Fish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
38	Pots and Traps, Fish	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: SPINY DOGFISH

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
39	Pots and Traps, Conch	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
40	Pots and Traps, Conch	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
41	Pots and Traps, Hagfish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
42	Pots and Traps, Hagfish	OPEN	all	NE	all	MET	MET	MET
43	Pots and Traps, Shrimp	OPEN	all	NE	all		UNKNOWN	UNKNOWN
44	Pots and Traps, Lobster	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
45	Pots and Traps, Lobster	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
46	Pots and Traps, Crab	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
47	Pots and Traps, Crab	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
48	Beam Trawl	OPEN	all	MA	all		UNKNOWN	UNKNOWN
49	Beam Trawl	OPEN	all	NE	all		UNKNOWN	UNKNOWN
50	Dredge, Other	OPEN	all	MA	all		UNKNOWN	UNKNOWN
51	Ocean Quahog/Surf Clam Dredge	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
52	Ocean Quahog/Surf Clam Dredge	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met, and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: SQUID - BUTTERFISH - MACKEREL

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
1	Longline	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
2	Longline	OPEN	all	NE	all	MET	MET	MET
3	Hand Line	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
4	Hand Line	OPEN	all	NE	all	UNKNOWN	MET	MET
5	Otter Trawl	OPEN	all	MA	sm	NOT MET	NOT MET	NOT MET
6	Otter Trawl	OPEN	all	MA	lg	NOT MET	NOT MET	MET
7	Otter Trawl	OPEN	all	NE	sm	NOT MET	NOT MET	NOT MET
8	Otter Trawl	OPEN	all	NE	lg	MET	MET	MET
9	Scallop Trawl	AA	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
10	Scallop Trawl	AA	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
11	Scallop Trawl	OPEN	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
12	Scallop Trawl	OPEN	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
13	Otter Trawl, Ruhle	OPEN	all	NE	lg		UNKNOWN	MET
14	Otter Trawl, Haddock Separator	OPEN	all	NE	lg			MET
15	Shrimp Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
16	Shrimp Trawl	OPEN	all	NE	all	MET	NOT MET	NOT MET
17	Floating Trap	OPEN	all	MA	all		UNKNOWN	UNKNOWN
18	Floating Trap	OPEN	all	NE	all		UNKNOWN	UNKNOWN
19	Sink, Anchor, Drift Gillnet	OPEN	all	MA	sm	MET	MET	UNKNOWN
20	Sink, Anchor, Drift Gillnet	OPEN	all	MA	lg	NOT MET	UNKNOWN	MET
21	Sink, Anchor, Drift Gillnet	OPEN	all	MA	xl	NOT MET	NOT MET	MET
22	Sink, Anchor, Drift Gillnet	OPEN	all	NE	sm	UNKNOWN	UNKNOWN	UNKNOWN
23	Sink, Anchor, Drift Gillnet	OPEN	all	NE	lg	NOT MET	MET	MET
24	Sink, Anchor, Drift Gillnet	OPEN	all	NE	xl	NOT MET	NOT MET	NOT MET
25	Purse Seine	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
26	Purse Seine	OPEN	all	NE	all	NOT MET	NOT MET	NOT MET
27	Scallop Dredge	AA	GEN	MA	all	NOT MET	NOT MET	UNKNOWN
28	Scallop Dredge	AA	GEN	NE	all	MET	MET	UNKNOWN
29	Scallop Dredge	AA	LIM	MA	all	NOT MET	MET	NOT MET
30	Scallop Dredge	AA	LIM	NE	all	MET	MET	NOT MET
31	Scallop Dredge	OPEN	GEN	MA	all	NOT MET	NOT MET	NOT MET
32	Scallop Dredge	OPEN	GEN	NE	all	NOT MET	MET	NOT MET
33	Scallop Dredge	OPEN	LIM	MA	all	NOT MET	NOT MET	NOT MET
34	Scallop Dredge	OPEN	LIM	NE	all	NOT MET	NOT MET	NOT MET
35	Mid-water paired & single Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
36	Mid-water paired & single Trawl	OPEN	all	NE	all	NOT MET	NOT MET	NOT MET
37	Pots and Traps, Fish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
38	Pots and Traps, Fish	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met, and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: SQUID - BUTTERFISH - MACKEREL

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
39	Pots and Traps, Conch	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
40	Pots and Traps, Conch	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
41	Pots and Traps, Hagfish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
42	Pots and Traps, Hagfish	OPEN	all	NE	all	NOT MET	MET	MET
43	Pots and Traps, Shrimp	OPEN	all	NE	all		UNKNOWN	UNKNOWN
44	Pots and Traps, Lobster	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
45	Pots and Traps, Lobster	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
46	Pots and Traps, Crab	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
47	Pots and Traps, Crab	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
48	Beam Trawl	OPEN	all	MA	all		UNKNOWN	UNKNOWN
49	Beam Trawl	OPEN	all	NE	all		UNKNOWN	UNKNOWN
50	Dredge, Other	OPEN	all	MA	all		UNKNOWN	UNKNOWN
51	Ocean Quahog/Surf Clam Dredge	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
52	Ocean Quahog/Surf Clam Dredge	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: SURFCLAM - OCEAN QUAHOG

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
1	Longline	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
2	Longline	OPEN	all	NE	all	NOT MET	MET	MET
3	Hand Line	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
4	Hand Line	OPEN	all	NE	all	UNKNOWN	MET	MET
5	Otter Trawl	OPEN	all	MA	sm	NOT MET	NOT MET	NOT MET
6	Otter Trawl	OPEN	all	MA	lg	NOT MET	NOT MET	NOT MET
7	Otter Trawl	OPEN	all	NE	sm	NOT MET	NOT MET	NOT MET
8	Otter Trawl	OPEN	all	NE	lg	NOT MET	NOT MET	NOT MET
9	Scallop Trawl	AA	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
10	Scallop Trawl	AA	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
11	Scallop Trawl	OPEN	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
12	Scallop Trawl	OPEN	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
13	Otter Trawl, Ruhle	OPEN	all	NE	lg		UNKNOWN	MET
14	Otter Trawl, Haddock Separator	OPEN	all	NE	lg			MET
15	Shrimp Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
16	Shrimp Trawl	OPEN	all	NE	all	MET	MET	MET
17	Floating Trap	OPEN	all	MA	all		UNKNOWN	UNKNOWN
18	Floating Trap	OPEN	all	NE	all		UNKNOWN	UNKNOWN
19	Sink, Anchor, Drift Gillnet	OPEN	all	MA	sm	MET	MET	UNKNOWN
20	Sink, Anchor, Drift Gillnet	OPEN	all	MA	lg	MET	UNKNOWN	MET
21	Sink, Anchor, Drift Gillnet	OPEN	all	MA	xl	MET	MET	MET
22	Sink, Anchor, Drift Gillnet	OPEN	all	NE	sm	UNKNOWN	UNKNOWN	UNKNOWN
23	Sink, Anchor, Drift Gillnet	OPEN	all	NE	lg	MET	MET	MET
24	Sink, Anchor, Drift Gillnet	OPEN	all	NE	xl	NOT MET	MET	MET
25	Purse Seine	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
26	Purse Seine	OPEN	all	NE	all	MET	MET	MET
27	Scallop Dredge	AA	GEN	MA	all	NOT MET	NOT MET	UNKNOWN
28	Scallop Dredge	AA	GEN	NE	all	NOT MET	NOT MET	UNKNOWN
29	Scallop Dredge	AA	LIM	MA	all	NOT MET	NOT MET	NOT MET
30	Scallop Dredge	AA	LIM	NE	all	NOT MET	NOT MET	NOT MET
31	Scallop Dredge	OPEN	GEN	MA	all	NOT MET	NOT MET	NOT MET
32	Scallop Dredge	OPEN	GEN	NE	all	MET	NOT MET	MET
33	Scallop Dredge	OPEN	LIM	MA	all	NOT MET	NOT MET	NOT MET
34	Scallop Dredge	OPEN	LIM	NE	all	NOT MET	NOT MET	NOT MET
35	Mid-water paired & single Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
36	Mid-water paired & single Trawl	OPEN	all	NE	all	MET	MET	MET
37	Pots and Traps, Fish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
38	Pots and Traps, Fish	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: SURFCLAM - OCEAN QUAHOG

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
39	Pots and Traps, Conch	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
40	Pots and Traps, Conch	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
41	Pots and Traps, Hagfish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
42	Pots and Traps, Hagfish	OPEN	all	NE	all	MET	MET	MET
43	Pots and Traps, Shrimp	OPEN	all	NE	all		UNKNOWN	UNKNOWN
44	Pots and Traps, Lobster	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
45	Pots and Traps, Lobster	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
46	Pots and Traps, Crab	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
47	Pots and Traps, Crab	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
48	Beam Trawl	OPEN	all	MA	all		UNKNOWN	UNKNOWN
49	Beam Trawl	OPEN	all	NE	all		UNKNOWN	UNKNOWN
50	Dredge, Other	OPEN	all	MA	all		UNKNOWN	UNKNOWN
51	Ocean Quahog/Surf Clam Dredge	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
52	Ocean Quahog/Surf Clam Dredge	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: TILEFISH

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
1	Longline	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
2	Longline	OPEN	all	NE	all	MET	MET	MET
3	Hand Line	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
4	Hand Line	OPEN	all	NE	all	UNKNOWN	MET	MET
5	Otter Trawl	OPEN	all	MA	sm	NOT MET	NOT MET	NOT MET
6	Otter Trawl	OPEN	all	MA	lg	MET	MET	NOT MET
7	Otter Trawl	OPEN	all	NE	sm	NOT MET	NOT MET	NOT MET
8	Otter Trawl	OPEN	all	NE	lg	NOT MET	NOT MET	NOT MET
9	Scallop Trawl	AA	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
10	Scallop Trawl	AA	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
11	Scallop Trawl	OPEN	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
12	Scallop Trawl	OPEN	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
13	Otter Trawl, Ruhle	OPEN	all	NE	lg		UNKNOWN	MET
14	Otter Trawl, Haddock Separator	OPEN	all	NE	lg			MET
15	Shrimp Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
16	Shrimp Trawl	OPEN	all	NE	all	MET	MET	MET
17	Floating Trap	OPEN	all	MA	all		UNKNOWN	UNKNOWN
18	Floating Trap	OPEN	all	NE	all		UNKNOWN	UNKNOWN
19	Sink, Anchor, Drift Gillnet	OPEN	all	MA	sm	MET	MET	UNKNOWN
20	Sink, Anchor, Drift Gillnet	OPEN	all	MA	lg	MET	UNKNOWN	MET
21	Sink, Anchor, Drift Gillnet	OPEN	all	MA	xlg	MET	MET	MET
22	Sink, Anchor, Drift Gillnet	OPEN	all	NE	sm	UNKNOWN	UNKNOWN	UNKNOWN
23	Sink, Anchor, Drift Gillnet	OPEN	all	NE	lg	MET	MET	MET
24	Sink, Anchor, Drift Gillnet	OPEN	all	NE	xlg	NOT MET	NOT MET	NOT MET
25	Purse Seine	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
26	Purse Seine	OPEN	all	NE	all	MET	MET	MET
27	Scallop Dredge	AA	GEN	MA	all	MET	MET	UNKNOWN
28	Scallop Dredge	AA	GEN	NE	all	MET	MET	UNKNOWN
29	Scallop Dredge	AA	LIM	MA	all	MET	MET	MET
30	Scallop Dredge	AA	LIM	NE	all	MET	MET	MET
31	Scallop Dredge	OPEN	GEN	MA	all	MET	MET	MET
32	Scallop Dredge	OPEN	GEN	NE	all	MET	MET	MET
33	Scallop Dredge	OPEN	LIM	MA	all	MET	MET	MET
34	Scallop Dredge	OPEN	LIM	NE	all	MET	MET	MET
35	Mid-water paired & single Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
36	Mid-water paired & single Trawl	OPEN	all	NE	all	MET	MET	MET
37	Pots and Traps, Fish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
38	Pots and Traps, Fish	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: TILEFISH

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
39	Pots and Traps, Conch	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
40	Pots and Traps, Conch	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
41	Pots and Traps, Hagfish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
42	Pots and Traps, Hagfish	OPEN	all	NE	all	MET	MET	MET
43	Pots and Traps, Shrimp	OPEN	all	NE	all		UNKNOWN	UNKNOWN
44	Pots and Traps, Lobster	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
45	Pots and Traps, Lobster	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
46	Pots and Traps, Crab	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
47	Pots and Traps, Crab	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
48	Beam Trawl	OPEN	all	MA	all		UNKNOWN	UNKNOWN
49	Beam Trawl	OPEN	all	NE	all		UNKNOWN	UNKNOWN
50	Dredge, Other	OPEN	all	MA	all		UNKNOWN	UNKNOWN
51	Ocean Quahog/Surf Clam Dredge	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
52	Ocean Quahog/Surf Clam Dredge	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: SEA TURTLES

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
1	Longline	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
2	Longline	OPEN	all	NE	all	MET	MET	MET
3	Hand Line	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
4	Hand Line	OPEN	all	NE	all	UNKNOWN	MET	MET
5	Otter Trawl	OPEN	all	MA	sm	NOT MET	NOT MET	NOT MET
6	Otter Trawl	OPEN	all	MA	lg	NOT MET	MET	NOT MET
7	Otter Trawl	OPEN	all	NE	sm	MET	NOT MET	NOT MET
8	Otter Trawl	OPEN	all	NE	lg	MET	NOT MET	NOT MET
9	Scallop Trawl	AA	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
10	Scallop Trawl	AA	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
11	Scallop Trawl	OPEN	GEN	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
12	Scallop Trawl	OPEN	LIM	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
13	Otter Trawl, Ruhle	OPEN	all	NE	lg		UNKNOWN	MET
14	Otter Trawl, Haddock Separator	OPEN	all	NE	lg			MET
15	Shrimp Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
16	Shrimp Trawl	OPEN	all	NE	all	MET	MET	MET
17	Floating Trap	OPEN	all	MA	all		UNKNOWN	UNKNOWN
18	Floating Trap	OPEN	all	NE	all		UNKNOWN	UNKNOWN
19	Sink, Anchor, Drift Gillnet	OPEN	all	MA	sm	NOT MET	MET	MET
20	Sink, Anchor, Drift Gillnet	OPEN	all	MA	lg	MET	NOT MET	NOT MET
21	Sink, Anchor, Drift Gillnet	OPEN	all	MA	xlg	NOT MET	NOT MET	MET
22	Sink, Anchor, Drift Gillnet	OPEN	all	NE	sm	UNKNOWN	UNKNOWN	UNKNOWN
23	Sink, Anchor, Drift Gillnet	OPEN	all	NE	lg	MET	MET	MET
24	Sink, Anchor, Drift Gillnet	OPEN	all	NE	xlg	MET	MET	MET
25	Purse Seine	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
26	Purse Seine	OPEN	all	NE	all	MET	MET	MET
27	Scallop Dredge	AA	GEN	MA	all	MET	MET	UNKNOWN
28	Scallop Dredge	AA	GEN	NE	all	MET	MET	UNKNOWN
29	Scallop Dredge	AA	LIM	MA	all	NOT MET	MET	MET
30	Scallop Dredge	AA	LIM	NE	all	NOT MET	MET	MET
31	Scallop Dredge	OPEN	GEN	MA	all	MET	MET	MET
32	Scallop Dredge	OPEN	GEN	NE	all	MET	MET	MET
33	Scallop Dredge	OPEN	LIM	MA	all	MET	NOT MET	NOT MET
34	Scallop Dredge	OPEN	LIM	NE	all	MET	MET	MET
35	Mid-water paired & single Trawl	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
36	Mid-water paired & single Trawl	OPEN	all	NE	all	MET	MET	MET
37	Pots and Traps, Fish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
38	Pots and Traps, Fish	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.

Table 4, continued. SBRM performance classification (“Unknown,” “Met,” and “Not Met”) for 15 SBRM species groups, by fleet for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010. Dark shading indicates cells not considered in annual SBRM analyses (“Not Applicable”). Light shading indicates non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analyses due to the importance filter (filtered out).

Species Group: SEA TURTLES

Row	Gear Type	Access Area	Trip Category	Region	Mesh Group	SBRM 2009	SBRM 2010	SBRM 2011
39	Pots and Traps, Conch	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
40	Pots and Traps, Conch	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
41	Pots and Traps, Hagfish	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
42	Pots and Traps, Hagfish	OPEN	all	NE	all	MET	MET	MET
43	Pots and Traps, Shrimp	OPEN	all	NE	all		UNKNOWN	UNKNOWN
44	Pots and Traps, Lobster	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
45	Pots and Traps, Lobster	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
46	Pots and Traps, Crab	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
47	Pots and Traps, Crab	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN
48	Beam Trawl	OPEN	all	MA	all		UNKNOWN	UNKNOWN
49	Beam Trawl	OPEN	all	NE	all		UNKNOWN	UNKNOWN
50	Dredge, Other	OPEN	all	MA	all		UNKNOWN	UNKNOWN
51	Ocean Quahog/Surf Clam Dredge	OPEN	all	MA	all	UNKNOWN	UNKNOWN	UNKNOWN
52	Ocean Quahog/Surf Clam Dredge	OPEN	all	NE	all	UNKNOWN	UNKNOWN	UNKNOWN

Please note: The dark shading represents “Not Applicable” cells. This is different than the dark shading used in Tables 9a and 9b in Wigley et al. 2011 where the dark shading represents “Not Applicable” cells and cells with no NEFOP coverage. The light shading represents only non-pilot cells where the variance of the discard estimate was not used in the annual SBRM sample size analysis due to the importance filter (cell filtered out). This is different than the light shading used in Tables 9a and 9b in Wigley et al. 2011 where the light shading represents both pilot and non-pilot cells with no CVs that were not used in the annual SBRM sample size analysis. See supporting text for abbreviations.