



PUBLICATIONS IN THE NORTHEAST FISHERIES CENTER COLLECTED REPRINTS

1935-1981

Compiled by

Judith Brownlow

<input checked="" type="checkbox"/> APPROVED FOR DISTRIBUTION
 (APPROVING OFFICIAL)
 (DATE)

National Marine Fisheries Service
Northeast Fisheries Center
Woods Hole Laboratory
Woods Hole, Massachusetts 02543

October 1982

PUBLICATIONS IN THE NORTHEAST FISHERIES CENTER COLLECTED REPRINTS
1935-1981

This document was produced to provide a record of the published research done in the Gulf of Maine and Georges Bank area by the U.S. federal government. The recent surge of interest in the Georges Bank and its international importance has inspired the compilation of this document as a reference for those researching this area. This document probably contains much of the published research on Georges Bank and offshore Gulf of Maine.

This list was made up from the contents of the Northeast Fisheries Center Collected Reprints. The publications of the U.S. federal marine fisheries Laboratory at Woods Hole, Massachusetts, constitute the major part of this document. The list contains the publications of the North Atlantic Fisheries Investigations in Cambridge, Massachusetts, from 1935 to 1948. The earlier years to 1970 also contain publications of the Bureau of Commercial Fisheries Boothbay Harbor Laboratory. Since the Bureau of Commercial Fisheries Narragansett Laboratory was part of the Northeast Fisheries Center from 1966 to 1976, some publications of that laboratory have also been included.

Prior to 1975, a few papers may be listed which do not have direct bearing on the fisheries laboratory's research. For example, some papers done by authors previous to their work at the Northeast Fisheries Center are included. Also before 1975, some "grey" literature is included, such as newspaper articles, and ICNAF documents and reports of research. This material falls in the "grey" area between a formal scientific paper and a manuscript. These items were not removed because they provide an interesting historical record of the fisheries research. After 1975, only formal publications, i.e., those appearing in refereed journals, were included.

Elizabeth Leonard, Librarian at the Woods Hole Laboratory from 1956 to 1968, gathered together the publications and compiled the lists for the earlier years. The compiler of this current list checked that work for inclusiveness, and sent those thirteen volumes to be bound. For years from 1969 through 1976, ten sets were compiled by Judith Brownlow, the current Librarian. Though the Northeast Fisheries Center expanded in 1977 to include seven other laboratories, only the publications of the Woods Hole Laboratory are included in this list. These lists were also compiled by the current Librarian.

PUBLICATIONS IN THE NORTHEAST FISHERIES CENTER COLLECTED REPRINTS

1935-1981

Herrington, William C.

1935. Modifications in gear to curtail the destruction of undersized fish in otter trawling. Bur. Fish., Invest. Rept. 24, 48 pp.

1936. Decline in haddock abundance on Georges Bank and a practical remedy. Bur. Fish., Fish. Circular 23, 22 pp.

1941. A crisis in the haddock fishery. Bur. Fish., Fish. Circular No. 4, 14 pp.

1943. Imported fish; a major New England problem. U.S. Fish and Wildlife Service, Sep. No. 125, 16 pp.

1944. Fishery management. U.S. Fish and Wildlife Service, Spec. Sci. Rept. No. 18, 66 pp.

1944. Factors controlling population size. Trans. 9th N. Amer. Wildlife Conf., 1944:250-263.

1945. North Atlantic fish production--national importance, possibilities, and bottlenecks to increased production. Fish. Market News 7(5): 4-7. (Sep. 102).

_____, Frank E. Firth, and Henry M. Bearse

1939. Observations on the life history, occurrence, and distribution of the redfish parasite, Sphyrion lumpi. Bur. Fish. Doc. No. 70364.

1942. What can be done for the Maine fisheries. Fish. Market News 4(5):14-18.

Arnold, Edgar L., Jr.

1949. Unusual occurrence of fish on New England banks. Copeia, 1948, 4:299-300.

Perlmutter, Alfred, and George M. Clarke

1949. Age and growth of immature rosefish (Sebastes marinus) in the Gulf of Maine and off Western Nova Scotia. U.S. Fish and Wildlife Service, Fish. Bull. 45 (Vol. 51):207-228.

Royce, William F.

1948. The ALBATROSS III. Comm. Fish. Rev. 10(3):2-8. (also pub. as Sep. No. 200).

Rounsefell, George A.

1948. Development of fishery statistics in the North Atlantic. U.S. Fish and Wildlife Service, Spec. Sci. Rept. 47:18 pp.

Sawyer, William H., Jr., and Clyde C. Taylor

1949. The effect of shell disease on the gills and chitin of the lobster (Homarus americanus). Maine Dept. Sea and Shore Fish., Res. Bull. 1.

Scattergood, Leslie W.

1948. Autumn census of Lake Washington waterfowl in 1937. Murrelet 29(1):5-8.

1948. Notes on some Gulf of Maine fishes. Copeia, 1948, 2: 142-144.

1948. A report on the appearance of the fungus Ichthyosporidium hoferi in the herring of the Northwestern Atlantic. U.S. Fish and Wildlife Service, Spec. Sci. Rept. 58, 33 pp.

1949. A bibliography of lobster culture. U.S. Fish and Wildlife Service, Spec. Sci. Rept. 64, 26 pp.

1949. Notes on the Kokanee (Oncorhynchus kennerlyi). Copeia, 1949, 4:297-298.

1949. Notes on the little piked whale. Murrelet 30(1):3-16.

1949. Notes on the Maine shark fishery. Copeia, 1949, 1:69-71.

Scattergood, Leslie W., cont.

1949. The production and the fishing methods of the Maine herring industry with notes on the 1947 season. U.S. Fish and Wildlife Service, Spec. Sci. Rept. 67, 25 pp.

1949. Translations of foreign literature concerning lobster culture and the early life history of the lobster. U.S. Fish and Wildlife Service, Spec. Sci. Rept.:Fish. 6, 173 pp.

_____, and Clyde C. Taylor

1949. The mussel resources of the North Atlantic region. Part I. The survey to discover the locations and areas of the North Atlantic mussel-producing areas. Comm. Fish. Rev. 11(9):1-10. Part II. Observations on the biology and methods of collecting and processing the mussel. Ibid. 11(10):8-20. Part III. Development of the fishery and the possible need for conservation measures. Ibid. 11(11):3-13.

Schuck, Howard A.

1947. Haddock (Melanogrammus aeglefinus). U.S. Fish and Wildlife Service, Fish. Leaflet. 198.

1947. Protecting a bay scrod raises production. Atlantic Fisherman 28(11):13.

1948. Survival of hatchery trout in streams and possible methods of improving the quality of hatchery trout. Prog. Fish-Culturist 10(1):3-14.

1948. Current haddock situation on Georges Bank. Comm. Fish. Rev. 10(10):1-6. (Also pub. as Sep. No. 217).

1948. Destruction of the baby haddock on Georges Bank. Yearbook of the Fishing Masters Assoc. 1947:5-7.

1949. The haddock. Part I. Haddock prefer smooth, sand bottoms and congregate at 20 to 90 fathoms. Me. Coast Fisherman 4(3):13. Part II. Haddock feeds on slow-moving forms grubbed up from sandy ocean floor. Ibid. 4(4):14.

1949. Problems in calculating size of fish from proportional measurements of fish and scale sizes. J. Wildlife Management 13(3):298-303.

1949. Relationship of catch to changes in population size of New England haddock. Biometrics 5(3):213-231.

Snieszko, S. F., and Clyde C. Taylor

1947. A bacterial disease of the lobster (Homarus americanus). Science 105, No. 2732.

Taylor, Clyde C.

1947. Some observations on the weight and number of eggs of female lobsters. Fish. Circ. 1, Maine Dept. of Sea and Shore Fisheries.

1948. A method of inferring the annual growth increment of lobsters from length-frequency measurements. Fish. Circ. 3, Maine Dept. Sea and Shore Fisheries.

1948. Shell disease as a mortality factor in the lobster (Homarus americanus). Fish. Circ. 4, Maine Dept. of Sea and Shore Fisheries.

1949. The Schoodic lobster planting experiments. Suppl. 1, Fish. Circ. 5, Maine Dept. Sea and Shore Fisheries.

1949. A study of lobster shell disease with observations and recommendations. Bull. Maine Dept. Sea and Shore Fisheries.

_____, and F. T. Baird, Jr.

1948. The Schoodic lobster planting experiments. Fish. Circ. 2, Maine Dept. Sea and Shore Fisheries.

Tiller, Richard E.

1949. Supplementary report on herring investigations from July to December. Suppl. to U.S. Fish and Wildlife Service, Spec. Sci. Rept. 58.

Arnold, Edgar L., Jr.

1951. An impression method for preparing fish scales for age and growth analysis. Prog. Fish-Culturist 13(1):11-16.

1951. Northward dispersal of warm-water marine fishes in southern New England during the summer of 1949. Copeia 1951, 1:87-88.

_____, and William F. Royce

1950. Observations of the effect of acid-iron waste disposal at sea on animal populations. U.S. Fish and Wildlife Service, Spec. Sci. Rept.: Fish. No. 11, 12 pp.

Baerends, G. P.

1950. The rational exploitation of the sea fisheries with particular reference to the fish stock of the North Sea. Trans. from the Dutch by Jan Hahn, WHOI, and edited by Howard A. Schuck. U.S. Fish and Wildlife Service, Spec. Sci. Rept.: Fish. No. 13, 102 pp.

Buller, Raymond J.

1951. Fishery survey of southern coastal waters. U.S. Fish and Wildlife Service, Spec. Sci. Rept.: Fish. No. 58, 21 pp.

_____, and Harlan S. Spear

1950. A survey of the sports fishery of the Middle Atlantic Bight in 1948. U.S. Fish and Wildlife Service, Spec. Sci. Rept.: Fish. No. 7, 12 pp.

1951. The trawlability and fish supply of North Carolina's offshore fishing grounds. Southern Fisherman 10(7):2 pp.

Edwards, Robert L., and J. Lockwood Chamberlin

1950. Expedition to Richmond Gulf, Ungava Peninsula, Quebec, Canada, to make (1) an integrated ecological study of the land and marine environment, with emphasis on adaptations to arctic conditions; (2) an investigation of the marine conditions since the ice age by study of the raised beach fossiles. Grant No. 1240. Year Book of the Amer. Philosophical Soc., 1950:139-141.

International Commission for the Northwest Atlantic Fisheries

1951. Review of United States fisheries in the convention area. ICNAF Doc. 9, 32 pp. (mimeo).

Kelly, George F.

1951. Too few redfish coming of age. Maine Coast Fisherman 5(7):8-9.

Loosanoff, Victor L., and Robert R. Marak

1951. Culturing lamellibranch larvae. Anat. Rec. 111(3):129-130.

Posgay, Julius Arthur

1950. IV. Investigations of the sea scallop, Pecten grandis. 3rd Rept. Invs. of Methods of Improving Shellfish Res. of Mass., Dept. Conservation, Div. Marine Fisheries 1950.

Royce, William F.

1950. Echo-sounding developments in the European fisheries as reported to the ICES. Comm. Fish. Rev. 12(7):54-56.

1951. The effect of lamprey attacks on lake trout in Seneca Lake, N.Y. Trans. Amer. Fish. Soc. 79(1):71-76.

1951. The breeding habits of lake trout in New York. U.S. Fish and Wildlife Service, Fish. Bull. 59(Vol. 52):59-76.

_____, and Howard A. Schuck

1950. Recommendations on size limits. Parts I & II. Recommendations for minimum size limits on certain fishes. Fish. Gazette 67(5): 30, 58D, 61. Ibid. 67(6):44, 57, 100. Part III. Minimum size limits for fish suggested. Atlantic Fisherman 31(4):19, 32-33; Maine Coast Fisherman 4(11):16.

1950. The 37th Annual Meeting of the International Council for the Exploration of the Sea. Science 3(2886):447-449.

Sayles, Richard E.

1951. The trash fishery of southern New England in 1950. Comm. Fish. Rev. 13(7):1-4. (also pub. as Sep. No. 286).

Scattergood, Leslie W.

1950. The cod (Gadus morhua). Part I. Nation's cod landings are 4 billion pounds; 6 million landed in Maine. Maine Coast Fisherman 4(7):13-14. Part II. Ocean currents carry cod spawn away from breeding grounds. Ibid. 4(8):7.

1950. Fish and shellfish measuring devices. J. Wildlife Management 14(2):147-151.

_____, and Clyde C. Taylor

1950. The mussel resources of the North Atlantic region. Part 1-- the survey to discover the locations and areas of the North Atlantic mussel-producing beds. Fishery Leaflet 364. ALSO FILED IN 1949 FOLIO.

1951. English translations of fishery literature. U.S. Fish and Wildlife Service, Spec. Sci. Rept.: Fish. No. 35, 65 pp.

1951. Gill-netters land most of mackerel sharks in Maine. Maine Coast Fisherman 4(11):9.

Scattergood, Leslie W., and Parker S. Trefethen

1951. Notes on Gulf of Maine fishes in 1949. Copeia, 1951, 4: 297-298.

_____, Parker S. Trefethen, and Gareth W. Coffin

1951. Notes on the size of menhaden taken in Maine during 1949. Copeia, 1951, 1:93-94.

1951. Observations on the food habits of the double-crested cormorant. Auk, 67(4):506-508.

1951. The occurrence of egg capsules in the winter skate (Raja diaphanes) in Maine waters. Copeia, 1951, 2:169.

Schuck, Howard A.

1951. Studies of Georges Bank haddock. Part I: Landings by pounds, numbers, and sizes of fish. U.S. Fish and Wildlife Service, Fish. Bull. 66 (Vol. 52):151-176.

1951. Notes on the dolphin (Coryphaena hippurus) in North Carolina waters. Copeia, 1951, 1:35-39.

1951. Northern record for the little tuna (Euthynnus alletteratus). Copeia, 1951, 1:98.

1951. New Gulf of Maine record for occurrence of dolphin (Coryphaena hippurus) and data on small specimens. Copeia, 1951, 2:171.

_____, and Edgar L. Arnold, Jr.

1951. Comparison of haddock eggs from Georges and Browns Banks. U.S. Fish and Wildlife Service, Fish. Bull. 67 (Vol. 52):177-185.

_____, and John R. Clark

1951. Record of a white-tipped shark (Carcharhinus longimanus) from the northwestern Atlantic. Copeia, 1951, 2:172.

1951. 1950 -- an unusual haddock year on Georges Bank. Comm. Fish. Rev. 13(6):27-29. (also pub. as Sep. No. 285).

1951. 1948 spawn of haddock one of best in history of fishery. Maine Coast Fisherman 6(3):12.

Schuck, Howard A., and Frank J. Mather, III

1951. A blackfin tuna (Parathunnus atlanticus) from North Carolina waters. Copeia, 1951, 3:248.

Snow, George W.

1951. The development of the trash fishery at New Bedford, Mass. Comm. Fish. Rev. 12(7):8-10.

Taylor, Clyde C.

1950. A device for determining lobster weights. Fish. Circ. 6, Maine Dept. Sea and Shore Fisheries.

1950. A study of lobster shell disease with observations and recommendations. Bulletin Maine Dept. Sea and Shore Fisheries.

1951. A survey of former shad streams in Maine. U.S. Fish and Wildlife Service, Spec. Sci. Rept.: Fish. No. 66, 29 pp.

Webster, John R., and Raymond J. Buller

1950. Drift bottle releases off New Jersey -- a preliminary report on experiments begun in 1948. U.S. Fish and Wildlife Service, Spec. Sci. Rept.: Fish. No. 10, 21 pp.

Clark, John R.

1952. Experiments on the escape of undersized haddock through otter trawls. Comm. Fish. Rev. 14(9):1-7. (also pub. as Sep. 321).

1952. Further experiments on the escape of undersized haddock through otter trawls. Comm. Fish. Rev. 14(12):7-12. (also pub. as Sep. 335).

1952. Georges Bank haddock fishery -- 1951. Comm. Fish. Rev. 14(8):1-4. (Sep. No. 319).

Edwards, Robert L., and Walter H. Pitts

1952. Dog locates winter nests of mammals. Jour. Mammalogy 33(2):243-244, May 1952.

Edwards, Robert L.

1952. Notes on some of Osborn's Mallophaga types and the description of a new genus, Rotundiceps (Philopteridae). Psyche 59(1):26-30, March 1952.

Edwards, Robert L.

1953. Night temperatures and the moon. Science 117:305-310, No. 3038, March 20, 1953.

Ellson, J. G. and Robert Livingstone, Jr.

1952. The John N. Cobb's shellfish explorations in certain southeastern Alaskan waters, Spring 1951. Comm. Fish. Rev. 14(4): 1-20. (Sep. 311).

Graham, Herbert W.

1952. Mesh regulation to increase the yield of the Georges Bank haddock fishery. ICNAF 2nd. Ann. Rept. 1951-52, Part 3:23-33.

1952. Minimum mesh for Georges Bank haddock nets. Atlantic Fisherman 34(2):15, 42, 43.

1952. A minimum net-mesh size for the New England haddock fishery. Comm. Fish. Rev. 14(12):1-6 (Sep. 334).

1952. A regulation to increase the yield of the New England haddock fishery. Trans. 17th North Amer. Wildlife Conf., March 17, 18 and 19, 1952: 378-385.

_____, and Clyde C. Taylor

1953. Heavier landings of large haddock expected. Atlantic Fisherman 34(1):15, 31.

Kelly, George F.

1952. Redfish production has climbed steadily. Atlantic Fisherman 33(10):13, 32-33.

Livingstone, Robert Jr.

1952. Preliminary investigation of the southeastern Alaska abalone (Haliotis bamtchatkana). Pt. 1--Exploratory diving. Comm. Fish. Rev. 14(9):8-16.

Mather, Frank J. III, and Howard A. Schuck

1952. Additional notes on the distribution of the blackfin tuna (Parathunnus atlanticus). Copeia, 1951, 4:267.

Posgay, J. A.

1953. Sea scallop investigations. 6th Rept. Invs. of Shellfisheries of Mass., Comm. Mass., Dept. Natural Res., Div. Marine Fisheries, 1953.

Powell, Donald E., Dayton L. Alverson and Robert Livingstone, Jr.

1952. North Pacific albacore tuna exploration--1950. Fish. Leaflet 402, Fish and Wildlife Service, 56 pp.

Premetz, Ernest D.

1953. Destruction of undersized haddock on Georges Bank, 1947-51. U.S. Fish and Wildlife Service, Spec. Sci. Rept.: Fish. 96, 33 pp.

_____, and George W. Snow

1953. Status of New England sea-scallop fishery. Comm. Fish. Rev. 15(5):1-17 (Sep. 348).

Rounsefell, George A., and W. Harry Everhart

1953. Fishery Science: its method and applications. New York, John Wiley & Sons, Inc. 444 p.

Scattergood, Leslie W.

1952. United States imports and exports of herring and sardines in recent years. Maine Dept. Sea and Shore Fisheries, Res. Bull. No. 6.

1952. Conversions of the standard, fork, and total lengths of the Maine herring. Maine Dept. Sea and Shore Fisheries, Tech. Bull. No. 2.

1952. 1. The distribution of the green crab, Carcinides maenas (L.) in the northwestern Atlantic. Maine Dept. Sea and Shore Fisheries, Fish. Circ. No. 8.

1952. English translations of fishery literature--additional listings. U.S. Fish and Wildlife Service, Spec. Sci. Rept.: Fish. No. 72, 32 pp.

1952. Maine's herring fishery. Atlantic Fisherman 33(1):16, 17, 29.

1952. The maturity of the Maine herring (Clupea harengus). Maine Dept. Sea and Shore Fisheries, Res. Bull. No. 7.

1952. The northern shrimp fishery of Maine. Comm. Fish. Rev. 14(1):1-16 (Sep. 304).

Scattergood, Leslie W., and Gareth W. Coffin

1953. Records of the black ruffe, Centrolophus niger, and the mackerel scad, Decapterus macarellus, in the Gulf of Maine. Copeia, 1953, 4:237.

_____, and D. Arthur McKown

1952. United States lobster and spiny lobster production (1921-49) and imports (1920-49). Comm. Fish. Rev. 13(12):1-11.

1952. U.S. lobster consumption rose 40 million lbs. in 25 years. Maine Coast Fisherman 6(9):8-9.

_____, Parker S. Trefethen, and Gareth W. Coffin

- * 1952. Notes on Gulf of Maine fishes in 1949. Copeia, 1952, 4:297-298.

Schuck, Howard A.

1952. Haddock prediction for 1951 proves accurate. Atlantic Fisherman 33(2):20.

1952. Offshore grounds important to the United States haddock fishery. U.S. Fish and Wildlife Service, Res. Rept. No. 32.

- * 1952. Predict more large haddock from Georges Bank. Atlantic Fisherman 33(4):17, 34.

Taylor, Clyde C.

1953. Nature of variability in trawl catches. U.S. Fish and Wildlife Service, Fish. Bull. No. 83 (Vol. 54):145-166.

_____, and Herbert W. Graham

1953. II. Changes in the distribution of marine animals in New England and Middle Atlantic waters in relation to changes in temperature. ICNAF Annual Proc. 2:68, 1953.

Wigley, Roland L.

1952. A method of marking larval lampreys. Copeia, 1952, No. 3: 203-204.

Clark, John

1954-55. Effect of mesh regulation in subarea 5. ICNAF Proceedings 5: 63-64.

*Colton, John B.

1955. Spring and summer distribution of haddock on Georges Bank. U.S. Fish and Wildlife Service, Spec. Sci. Rept.: Fish. No. 156, 65 pp.

Couture, Lawrence H.

1954. Seventy-four million dollars a year just for the fun of it. Bull. 14, Mass. Div. Fisheries and Game. Boston.

Edwards, Robert L.

1955. Observations on the ring-tailed cat. Jour. Mammalogy 36(2):292-293, May 1955.

Graham, Herbert W.

1954. Conserving New England haddock. Trans. 19th North American Wildlife Conference, pp. 397-403.

* _____, and Ernest D. Premetz

1955. First year of mesh regulation in the Georges Bank haddock fishery. U.S. Fish and Wildlife Service, Spec. Sci. Rept.: Fish. No. 142.

Joseph, Edwin B., and Fred E. Nichy

1955. Literature survey of the Jacksonville Harbor area. Part II. Algae, marine fouling and boring organisms. Supplement to: A literature survey of the Jacksonville Harbor area. Report prepared under contract N62306s-287 with the U.S. Navy Hydrographic Office. The Oceanographic Institute, Florida State Univ. 14 September.

_____, and Fred E. Nichy

1955. Literature survey of the Tampa Bay area. Part II. Algae, marine fouling and boring organisms. Report prepared under Contract N62306s-287 with U.S. Navy Hydrographic Office. The Oceanographic Institute, Florida State Univ., 16 September.

Joseph, Edwin B., and Fred E. Nichy

1955. Literature survey of the Biscayne Bay area. Part II. Algae, marine fouling and boring organisms. Report prepared under Contract N62306s-287 with the U.S. Navy Hydrographic Office. The Oceanographic Institute, Florida State Univ., 19 September.

*Premetz, Ernest D., with Robert L. Cory, James W. McKee, and Craig Slater

1954. Destruction of undersized haddock on Georges Bank, 1952. U.S. Fish and Wildlife Service, Spec. Sci. Rept.: Fish. No. 129, 34 pp.

Royce, William F., and Howard A. Schuck

1954. Studies of Georges Bank haddock. Part II: Prediction of the catch. U.S. Fish and Wildlife Service, Fish. Bull. 90 (Vol. 56), 6 pp.

Russell, Sargent, and Lawrence H. Couture

1954. How it was done. Suppl. to Bull. 14, Extension Service, Univ. Mass., Amherst.

Scattergood, Leslie W.

1954. Bibliographic sources for fishery students and biologists. Trans. Amer. Fish. Soc. 83(1953):20-37.

1955. Norwegians found shrimp beds in 50 to 100 fathoms on soft mud bottom. Maine Coast Fisherman, February 1955:9(7):23-25.

Sindermann, Carl, and Aaron Rosenfield

1954. Diseases of fishes of the Western North Atlantic. I. Diseases of the sea herring (Clupea harengus). Maine Dept. Sea and Shore Fisheries, Res. Bull. 18.

_____, and Leslie W. Scattergood

1954. Diseases of fishes of the Western North Atlantic. II. Ichthyosporidium disease of the sea herring (Clupea harengus). Maine Dept. Sea and Shore Fisheries, Res. Bull. 19.

_____, and Aaron Rosenfield

1954. Diseases of fishes of the Western North Atlantic. III. Mortalities of sea herring (Clupea harengus) caused by larval trematode invasion. Maine Dept. Sea and Shore Fisheries, Res. Bull. 21.

Clark, John R.

1956. Georges Bank Haddock Fishery - Changes in Scrod Abundance in Recent Years. Comm. Fish. Rev. 18(10), (Sep. No. 450).

Clark, John R.

1956. First Mesh Control Studies Encouraging. Maine Coast Fisherman, Dec. 7, 1956:7.

Taylor, Clyde C.

1956. A note on Lee's phenomenon in Georges Bank Yields. Lisbon Proceedings, ICNAF.

Wigley, Roland L.

1956. Food Habits of Georges Bank Haddock. U.S. Fish and Wildlife Service, Spec. Sci. Rept.: Fish. No. 165, 26 pp.

Bumpus, Dean F.

1957. Surface Water Temperatures along Atlantic and Gulf Coasts of the United States. U.S. Fish and Wildlife Service, Spec. Sci. Rept.:Fish. 214.

1957. Oceanographic Observations, 1956, East Coast of the United States. U.S. Fish and Wildlife Service, Spec. Sci. Rept.:Fish. 233.

1957. Drift Bottle Records for Gulf of Maine and Georges Bank, 1931-56. U.S. Fish and Wildlife Service, Spec. Sci. Rept.: Fish. 242.

Clark, John R.

1957. Size Selection of Fish by Otter Trawls. Gulf and Caribbean Fish. Inst., 10th Annual Session, November 1957, pages 113-118.

Davis, William S., and Clyde C. Taylor

1957. Optimum Exploitation of Gulf of Maine Redfish as Indicated by a Simple Population Model. ICNAF, Lisbon Proceedings.

Kelly, George F.

1957. Maine Redfish Discovery Led to First Successful Tagging. Maine Coast Fisherman 11(9):12.

Livingstone, Robert Jr.

1957. Conversion of Total Length to Fork Length for Subdivision 5Z Haddock. Annual Proceedings ICNAF, Volume 7.

Posgay, J. A.

1957. The Range of the Sea Scallop. The Nautilus 71(2):55-57.

1957. Sea Scallop Boats and Gear. U.S. Fish and Wildlife Service, Fish Leaflet. 442.

1957. Sea Scallops: Most Valuable Offshore North Atlantic Fish. Maine Coast Fisherman, Dec. 1957.

Rounsefell, George A.

1957. A Method of Estimating Abundance of Groundfish on Georges Bank. Fishery Bulletin 113(Vol. 57):265-278.

1957. Fecundity of North American Salmonidae. Fishery Bulletin 122(Vol. 57):451-468.

Taylor, Clyde C.

1957. The Effect of Mesh Regulation on Georges Bank Haddock Yields. Lisbon Proceedings, ICNAF.

1957. History of the Great Fishery of Newfoundland. (Translation) U.S. Fish and Wildlife Service, Spec. Sci. Rept.: Fish. No. 213, 147 pp.

_____, Henry B. Bigelow, and Herbert W. Graham

1957. Climatic Trends and the Distribution of Marine Animals in New England. U.S. Fish and Wildlife Service, Fish. Bull. 115 (Vol. 57):293-345.

Wise, John P.

1957. Growth Rate of Browns Bank Haddock. U.S. Fish and Wildlife Service, Res. Rept. 50, 13 pp.

Wise, John P.

1957. Movements of Cod from New Jersey Winter Fishing Grounds to New England Banks. Northeast Division, American Fisheries Society meeting, New Haven, Conn., January 6-8, 1957.

Clark, John R.

1958. Consistency of scale reading. ICNAF Spec. Pub. No. 1: 191-192.

1958. V. Underwater television observations on the effect of chafing gear on escapement of haddock. ICNAF Annual Proceedings, Vol. 8:101-102.

_____, Frank D. McCracken, and Wilfred Templeman

1958. III. Summary of gear selection information for the Commission Area. ICNAF Annual Proceedings, Vol. 8:83-99.

Cogswell, Sterling L.

1958. Summary of 1956-57 tagging operations. Mimeographed report.

Day, C. Godfrey

1958. Surface circulation in the Gulf of Maine as deduced from drift bottles. FWS, Fishery Bulletin 141, Vol. 58:443-472.

Edwards, Robert L.

1958. Species composition of the 1957 industrial trawl fish landings in New England. Industrial Fishery Project-Interim Report No. 2, NAFI, USFWS.

1958. Species composition of industrial trawl landings in New England, 1957. FWS, SSR-Fisheries No. 266, 23 p.

1958. Gloucester's trawl fishery for industrial fish. Commercial Fisheries Review 20(8):10-15.

_____, and Fred E. Lux

1958. New England's industrial fishery. Commercial Fisheries Review 20(5):1-6.

Jensen, Albert C.

1958. More haddock and cod aim of fish-tagging program. Maine Coast Fisherman, March, 1958.

Jensen, Albert C. (cont.)

1958. Corrosion resistance of fish tagging pins. FWS, SSR-Fisheries No. 262:1-6.

1958. A tag holder for use in the field. Progressive Fish-Culturist 20(2):96.

_____, and John R. Clark

1958. Time of formation of scale annuli. ICNAF Spec. Pub. No. 1:193-197.

Kohler, A. C., and J. R. Clark

1958. Haddock scale-otolith comparisons. J. Fish. Res. Bd. Canada, 15(6):1239-1246.

Leonard, Elizabeth B.

1958. A decimal classification for fisheries. Special Libraries, March 1958.

Lux, Fred E.

1958. Why yellowtails are tagged and tailed by the Feds. Sunday Standard Times, October 19, 1958.

Menzel, R. Winston, and Fred E. Nichy

1958. Studies of the distribution and feeding habits of some oyster predators in Alligator Harbor, Florida. Bull. of Marine Science of the Gulf and Caribbean, Vol. 8, No. 2:125-145.

Posgay, J. A.

1958. Photography of the sea floor. Oceanus, Vol. 6, No. 1.

1958. A recording-measuring board. The Progressive Fish-Culturist, 10(3):142.

_____, and K. Duane Norman

1958. An observation on the spawning of the sea scallop, Placopecten magellanicus (Gmelin), on Georges Bank. Limnol. and Oceanogr. 3(4).

Taylor, Clyde C.

1958. Natural mortality rate of Georges Bank haddock. FWS, Fishery Bulletin 126, Vol. 58:1-7.

1958. An appraisal of the New England fisheries, a report on studies of the past, the present, and the future of this economically important industry on our East Coast. Fishing Gazette, Jan.-Feb. 1958 issues.

1958. Cod growth and temperature. Journal du Conseil, Vol. XXII, No. 3:366-370.

Wise, John P.

1958. Cod and hydrography - a review. FWS, SSR-Fisheries No. 245, 16 p.

1958. Laphystius sturionis parasitic on cod in North American waters. Journal of Parasitology, Vol. 44, No. 1, p. 72.

1958. The world's southernmost indigenous cod. Journal du Conseil, Vol. XXIII, No. 2:208-212.

Clark, John R.

1959. Sexual Maturity of Haddock. Trans. Amer. Fish. Soc. Vol. 88:212-213.

_____, and Eli L. Dietsch

1959. Length-weight tables for Northwest Atlantic haddock. ICNAF Sampling Yearbook, Vol. 2:25-37.

_____, Robert Livingstone, Jr., and James M. Crossen

1959. Development and operation of television for studying fish behavior in otter trawls. SSR-Fisheries No. 320, 21 p.

Colton, John B., Jr.

1959. A field observation of mortality of marine fish larvae due to warming. Limnol. and Oceanogr., Vol. 4, No. 2, pp. 219-222.

Couture, Lawrence H.

1959. I. ICNAF mesh regulations, operation of 10% annual exemption, October 1, 1957, through March 31, 1959. Annual Proceedings ICNAF, Vol. 9:98-100.

Day, C. Godfrey

1959. Oceanographic observations, 1958, East Coast of the United States. SSR-Fisheries No. 318, 119 p.

Fritz, Raymond L.

1959. Hake tagging in Europe and the United States 1931-1958. Journal du Conseil, Vol. XXIV, No. 3, p. 480-485.

Galtsoff, Paul S.

1959. Environmental requirements of oysters in relation to pollution. Trans. Second Seminar on Biological Problems in Water Pollution, April 20-24, 1959, USPHS, Robert A. Taft Sanitary Engineering Center, Cincinnati.

Graham, Herbert W.

1959. XI. United States Research Report, 1958. Annual Proceedings ICNAF, Vol. 9:87-91.

Grosslein, Marvin D., and Lloyd L. Smith, Jr.

1959. The goldeye, Amphiodon alosoides (Rafinesque) in the commercial fishery of the Red Lakes, Minnesota. U.S. Fish and Wildl. Serv. Fishery Bulletin 157, Vol. 60:33-41.

Holt, S. J., J. A. Gulland, C. Taylor, and S. Kurita

1959. A standard terminology and notation for fishery dynamics. J. Cons. Int. Explor. Mer 24: 239-242.

Kelly, George F., and Robert S. Wolf

1959. Age and growth of the redfish (Sebastes marinus) in the Gulf of Maine. U.S. Fish and Wildl. Serv., Fishery Bulletin 156, Vol. 60:1-31.

Livingstone, Robert Jr.

1959. The use of underwater television for studying the behavior of marine fish in trawl nets. The Anatomical Record, Vol. 134, No. 3:601-602.

Lux, Fred E.

1959. A case of partial albinism in the four-spotted flounder, Hippoglossina oblonga. Copeia, No. 3:253.

Lux, Fred E.

1959. Age determination of fishes. Fishery Leaflet No. 488, 10 p.

Merrill, Arthur S.

1959. An unusual occurrence of Mya arenaria L. and notes on other marine mollusks. The Nautilus, Vol. 73, No. 2:39-43.

1959. A comparison of Cyclopecten nanus Verrill and Bush and Placopecten magellanicus (Gmelin). Occasional Papers on Mollusks, MCZ, Vol. 2, No. 25:209-227.

Miller, David

1959. A pelagic record of the snipefish Macrorhamphosus scolopax (L.), in the Gulf of Maine. Copeia, No. 2.

Miller, David, and Robert R. Marak

1959. The early larval stages of the red hake, Urophycis chuss. Copeia, No. 3:248-250.

Royce, William F., Raymond J. Buller, and Ernest D. Premetz

1959. Decline of the yellowtail flounder (Limanda ferruginea) off New England. U.S. Fish and Wildl. Serv., Fishery Bulletin 146, Vol. 59.

Taylor, Clyde C.

1959. Temperature and growth -- the Pacific razor clam. Journal du Conseil, Vol. XXV, No. 1:93-101.

Wigley, Roland L.

1959. Life history of the sea lamprey of Cayuga Lake, New York. U.S. Fish and Wildl. Serv., Fishery Bulletin 154, Vol. 59:561-617.

Wise, John P.

1959. Eels. U.S. Fish and Wildl. Serv., Fishery Leaflet 479, 4 p.

1959. Living resources of the sea. Opportunity for research and expansion. A Conservation Foundation study. Review. Science, Vol. 129, No. 3356, p. 1122.

Wise, John P., and Albert C. Jensen

1959. Movement of tagged halibut off New England. Trans. Amer. Fish. Soc., Vol. 88:347-358.

Bumpus, Dean F.

1960. Sources of water contributed to the Bay of Fundy by surface circulation. J. Fish. Res. Bd. Canada 17(2), pp. 181-197.

Clark, John R., and Vadim D. Vladykov

1960. Definition of haddock stocks of the Northwestern Atlantic. Fishery Bulletin 169, Vol. 60.

Day, C. Godfrey

1960. Oceanographic observations, 1959, East Coast of the United States. SSR-Fisheries No. 359, 114 p.

Edwards, Robert L.

1960. A new austromenopon (Menoponidae-Mallophaga) parasitizing shearwaters (Puffinus-Procellariiformes). The Canadian Entomologist, Vol. XCII, No. 11.

_____, and Lewis Lawday

1960. Species composition of industrial trawl fish landings in New England, 1958. SSR-Fisheries No. 346.

_____, and Robert Livingstone, Jr.

1960. Observations on the behavior of the porpoise Delphinus delphis. Science, Vol. 132, No. 3418, pp. 35-36.

Fritz, Raymond L.

1960. A review of the Atlantic Coast whiting fishery. Commercial Fisheries Review, Vol. 22, No. 11, 11 p.

Galtsoff, Paul S.

1960. The three hearts of the oyster. Biological Bulletin, Vol. 119, No. 2, p. 291.

1960. Sponges. Fishery Leaflet 490, March 1960.

_____, and D. E. Philpott

1960. Ultrastructure of the spermatozoan of the oyster, Crassostrea virginica. Journal of Ultrastructure Research, Vol. 3, p. 241-253.

Jensen, Albert C.

1960. Tracking down the spiny dog. Maine Coast Fisherman, January 1960, p. 16.

1960. Haddock. Fishery Leaflet 489, March 1960.

_____, and Raymond L. Fritz

1960. Observations on the stomach contents of the silver hake. Trans. Amer. Fish. Society, Vol. 89(2), pp. 239-240.

Lux, Fred E.

1960. Length shrinkage of yellowtail flounder between live and landed condition. Trans. Amer. Fish. Society, Vol. 89(4), pp. 373-374.

1960. Notes on first year growth of several species of Minnesota fish. The Progressive Fish-Culturist, Vol. 22, No. 2.

_____, and Lloyd I. Smith, Jr.

1960. Some factors influencing seasonal changes in angler catch in a Minnesota Lake. Trans. Amer. Fish. Society, Vol. 89(1), pp. 67-79.

Marak, Robert R.

1960. Food habits of larval cod, haddock, and coalfish in the Gulf of Maine and Georges Bank area. Journal du Conseil, Vol. XXV, No. 2, pp. 147-157.

Merrill, Arthur S.

1960. Abundance and distribution of sea scallops off the Middle Atlantic Coast. Proc. National Shellfisheries Assn, Vol. 51, pp. 74-80.

1960. Living inclusions in the shell of the sea scallop, Placopecten magellanicus. Ecology, Vol. 41, No. 2, pp. 385-386.

_____, and John B. Burch

1960. Hermaphroditism in the sea scallop, Placopecten magellanicus (Gmelin). Biological Bulletin, Vol. 119, No. 2, pp. 197-201.

Shaw, William N.

1960. A fiberglass raft for growing oysters off the bottom. The Progressive Fish-Culturist, Vol. 22, No. 4, p. 154.

1960. Observations on habits and a method of trapping channeled whelks near Chatham, Mass. SSR-Fisheries No. 325.

Wigley, Roland L.

1960. Note on the distribution of pandalidae (Crustacea, decapoda) in New England waters. Ecology, Vol. 41, No. 3.

1960. A new species of Chiridotea (Crustacea: Isopoda) from New England waters. Biological Bulletin, Vol. 119, No. 1, pp. 153-160.

Wise, John P.

1960. Dangerous marine animals, by Bruce W. Halstead, Cornell Maritime Press, Cambridge, Maryland, 1959. Review. Trans. Amer. Fish. Soc., Vol. 89(3):318.

Colton, John B., Jr.

1961. The distribution of eyed flounder and lanternfish larvae in the Georges Bank area. Copeia, 1961, No. 3, pp. 274-279.

_____, K. A. Honey, and R. F. Temple

1961. The effectiveness of sampling methods used to study the distribution of larval herring in the Gulf of Maine. Journal du Conseil, Vol. 26, No. 2, pp. 180-190.

_____, and Robert F. Temple

1961. The enigma of Georges Bank spawning. Limnol. and Oceanogr., Vol. 6, No. 3, pp. 280-291.

Conover, John T., Raymond L. Fritz, and Manuel Vieira

1961. A morphometric study of silver hake. SSR-Fisheries No. 368, 13 p.

Edwards, Robert L.

1961. Studies of the Philopteridae (Mallophaga) from birds of the order Procellariiformes; 1. The genus Halipeurus Thompson. Journal of Parasitology, Vol. 47, No. 1, pp. 125-157.

Edwards, Robert L.

1961. The fishes of Richmond Gulf, Ungava, Canada. Proc. of the American Philosophical Society, Vol. 105, No. 2, pp. 196-205.

_____, and J. L. Chamberlin

1961. Ecological investigation of Richmond Gulf, Hudson Bay: Grant No. 1547 (1953), \$1,500. Year Book of the American Philosophical Society, 1961, pp. 285-287.

Fritz, Raymond L.

1961. Size distribution by depth of the longfin hake, Phycis chesteri. Copeia, 1961, No. 2, pp. 229-230.

Galtsoff, Paul S.

1961. Physiology of reproduction in molluscs. Am. Zoologist, 1: 273-289.

Graham, Herbert W.

1961. U.S. Research in the Convention Area during 1959. ICNAF Annual Proceedings, Vol. 10, pp. 1-4.

Hennemuth, Richard C.

1961. Size and year class composition of catch, age, and growth of yellowfin tuna in the eastern tropical Pacific Ocean for the years 1954-58. Inter-American Tropical Tuna Commission Bulletin, Vol. 5, No. 1, pp. 5-112.

1961. Year class abundance, mortality, and yield per recruit of yellowfin tuna in the Eastern Pacific Ocean, 1954-59. Inter-American Tropical Tuna Commission Bulletin, Vol. 6, No. 1, pp. 3-51.

Jensen, Albert C.

1961. Scientists forecast improved catch of haddock on Georges during 1961. National Fisherman combined with Maine Coast Fisherman, March 1961.

1961. Recaptures of tagged spiny dogfish, Squalus acanthias. Copeia, 1961, No. 2, pp. 228-229.

_____, and John P. Wise

1961. Movement of tagged halibut off New England. Trans. Amer. Fish. Soc., Vol. 90, No. 4, pp. 489-490.

Kelly, George F., and Allan M. Barker

1961. Vertical distribution of young redfish in the Gulf of Maine. Rapp. et Proc.-Verb., Vol. 150, 1961, Cons. Internat. Explor. de la Mer, pp. 220-233.

_____, and Allan M. Barker

1961. Observations on the behaviour, growth, and migration of redfish at Eastport, Maine. Rapp. et Proc.-Verb., Vol. 150, 1961, Cons. Internat. Explor. de la Mer, pp. 263-275.

_____, Allan M. Barker, and George M. Clarke

1961. Racial comparisons of redfish from the western North Atlantic and the Barents Sea. Rapp. et Proc.-Verb., Vol. 150, 1961. Cons. Internat. Explor. de la Mer, pp. 28-41.

Lux, Fred E.

1961. Bureau studies yellowtails to balance market here. Sunday Standard Times, New Bedford, Mass., 26 Feb. 1961.

Merrill, Arthur S.

1961. Remarks concerning the benefits of systematic and repetitive collecting from navigation buoys. American Malacological Union Bull. 27.

1961. Shell morphology in the larval and postlarval stages of the sea scallop, Placopecten magellanicus (Gmelin). Bull. of the Museum of Comparative Zoology, Vol. 125, No. 1, 20 p.

1961. Some observations on the growth and survival of organisms on the shell of Placopecten magellanicus (Abstract). American Malacological Union, Bull. 28, pp. 4-5.

1961. The sea scallop fishery (Abstract). American Malacological Union Bull. 28, p. 14.

Miller, David

1961. A modification of the small Hardy Plankton Sampler for simultaneous high speed plankton hauls. Bulletin of Marine Ecology, Vol. 5, No. 45, pp. 165-172.

Sherman, Kenneth, and John P. Wise

1961. Incidence of the cod parasite Lernaeocera branchialis L. in the New England area, and its possible use as an indicator of cod populations. Limnol. and Oceanogr., Vol. 6, No. 1, pp. 61-67.

Skerry, John P.

1961. An eastward extension of the winter movement of the mackerel, Scomber scombrus. Copeia, 1961, No. 1, p. 115.

Wigley, Roland L.

1961. Bottom sediments of Georges Bank. Journal of Sedimentary Petrology for June 1961, pp. 165-188.

1961. Benthic fauna of Georges Bank. Trans. of 26th North American Wildlife and Natural Resources Conference, March 6, 7, and 8, 1961.

1961. A new isopod, Chiridotea nigrescens, from Cape Cod, Massachusetts. Crustaceana, Vol. 2, Part 4, pp. 286-292.

Brigham, Robert K.

1962. GEAR - Construction of a Fish Weir. U.S. Dept. of Interior, FWS, Sep. No. 651, Commercial Fisheries Review Vol. 24, No. 6, June 1962, pp. 12-14.

*Colton, John B. Jr., Robert F. Temple, and Kenneth A. Honey

1962. The occurrence of oceanic copepods in the Gulf of Maine-Georges Bank area. Ecology, Vol. 43, No. 1, Winter 1962, pp. 166-171.

Edwards, Robert L., Robert Livingstone, Jr., and Paul E. Hamer

1962. Winter water temperatures and an annotated list of fishes--Nantucket Shoals to Cape Hatteras. Albatross III Cruise No. 126. U.S. Dept. of Interior, FWS, Special Scientific Report-Fisheries No. 397, 31 pp., September 1962.

Fritz, Raymond L.

1962. Silver hake. U.S. Dept. of Interior, FWS, Fishery Leaflet 538, 7 pp., May 1962.

Galtsoff, Paul S., and Arthur S. Merrill

1962. Notes on shell morphology, growth, and distribution of Ostrea equestris Say. Bulletin of Marine Science of the Gulf and Caribbean, Vol. 12, No. 2, pp. 234-244, June 1962.

*Hoberman, John M., and Albert C. Jensen

1962. The growth rate of New England pollock. Trans. Amer. Fish. Soc., Vol. 91, No. 2, April 1962, pp. 227-228.

Jensen, Albert C.

1962. Marking and tagging fishes. U.S. Dept. of Interior, FWS, Fishery Leaflet 534, 8 pp., March 1962.

Livingstone, Robert Jr.

1962. Underwater television observations of haddock (Melanogrammus aeglefinus Linnaeus) in the cod-end. Journal du Conseil Internat. pour l'Explor. de la Mer, Vol. XXVII, No. 1, 1962, pp. 43-48.

*Marak, Robert R., John B. Colton, Jr., and Donald B. Foster

1962. Distribution of fish eggs and larvae, temperature, and salinity in the Georges Bank-Gulf of Maine area, 1955. U.S. Dept. of Interior, FWS, Spec. Sci. Rept.: Fisheries No. 411, 66 pp., March 1962.

*Marak, Robert R., John B. Colton, Jr., Donald B. Foster, and David Miller

1962. Distribution of fish eggs and larvae, temperature, and salinity in the Georges Bank-Gulf of Maine area, 1956. U.S. Dept. of Interior, FWS, Spec. Sci. Rept.: Fisheries No. 412, 95 pp. March 1962.

McDermott, John P.

1962. Aluminum punch strip method of measuring fish. Progressive Fish-Culturist, pp. 87, Vol. 84, No. 2, April 1962.

Merrill, Arthur S.

1962. Variation and change in surface sculpture in Anomia aculeata. Nautilus, April 1962, Vol. 75(4), pp. 131-138.

Lux, Fred E.

1963. Identification of New England yellowtail flounder groups. Fishery Bulletin, Vol. 63, No. 1, FWS, pp. 1-10.

McCann, James A., and Frank A. Dreyer

1963. Length and age frequency samples collected from Georges Bank and Gulf of Maine haddock landings, 1956-60. U.S. Dept. of Interior, FWS Spec. Sci. Rept.: Fisheries No. 439, pp. 1-113.

Wise, John P.

1963. Bibliography on the biology of the cod, Gadus morhua and related species. U.S. Dept. of Interior, FWS, Fishery Bulletin 215, Vol. 62, pp. 483-538.

Brigham, Robert K., and Albert C. Jensen

1964. Photographing otoliths and scales. The Progressive Fish-Culturist, Vol. 26, No. 3, July 1964, pp. 131-135.

*Colton, John B., Jr.

1964. History of oceanography in the offshore waters of the Gulf of Maine. U.S. Dept. of Interior, FWS, Spec. Sci. Rept.: Fisheries No. 496, December 1964, 18 pp.

Galtsoff, Paul S.

1964. Shellfish research and conservation. Presented at the Dedication of the BCF Biological Laboratory, Oxford, Maryland, October 1964.

Hennemuth, R. C., M. D. Grosslein, and F. D. McCracken.

1964. Abundance, age composition of landings, and total mortality of haddock caught off southern Nova Scotia, 1956-1961. ICNAF Research Bulletin Number 1, 1964, pp. 43-73.

Jensen, Albert C.

1964. Wildlife ecology of a heavily used aquatic area. New York Fish and Game Journal, Vol. 11, No. 2, July 1964, pp. 132-147.

Kelly, George F.

1964. Some recent redfish (Sebastes) publications ICES/ICNAF Redfish Symposium. Copeia, 1964, No. 2, June 30, pp. 460-464.

Lux, Fred E.

1964. Landings, fishing effort, and apparent abundance in the yellowtail flounder fishery. ICNAF Research Bulletin, Number 1, 1964, pp. 1-21.

Merrill, Arthur S., and Kenneth J. Boss

1964. Reactions of hosts to Proboscis penetration by Odostomia seminuda (Pyramidellidae). Nautilus, Vol. 78(2), pp. 43-45, October 1964.

_____, and J. A. Posgay

1964. Estimating the natural mortality rate of the sea scallop (Placopecten magellanicus). ICNAF Research Bulletin, Number 1, 1964, pp. 88-106.

Wigley, Roland L.

1964. Chapter XII. Phylum Arthropoda, Peracaridan Crustaceans; Part 1: Mysidacea, Part 2: Cumacea. Keys to Marine Invertebrates of the Woods Hole Region. Edited by Ralph I. Smith, pp. 93-102, published at the Woods Hole Marine Biological Laboratory by the Systematics-Ecology Program, 1964.

_____, and A. D. McIntyre

1964. Some quantitative comparisons of offshore meiobenthos and macrobenthos south of Martha's Vineyard. Limnol. and Oceanogr., Vol. 9, No. 4, October 1964, pp. 485-493.

Brown, Bradford E.

1965. Meristic counts of striped bass from Alabama. Trans. of the American Fisheries Society, Vol. 94, No. 3, July 1965, pp. 278-279.

Colton, John B., Jr.

1965. The distribution and behaviour of pelagic and early demersal stages of haddock in relation to sampling techniques. ICNAF Special Publication No. 6, 1965.

Edwards, R. L.

1965. Relation of temperature to fish abundance and distribution in the southern New England area. ICNAF Special Publications No. 6, 1965.

Emery, K. O., R. L. Wigley, and Meyer Rubin

1965. A submerged peat deposit off the Atlantic Coast of the United States. Limnology and Oceanography, Vol. 10, Supplement, November 1965, pp. R97-R102.

Hennemuth, R. C.

1965. Homogeneity of age-length frequencies among months and quarters of the year for haddock caught on Georges Bank, 1962. ICNAF Research Bulletin No. 2, 1965.

Jensen, Albert C.

1965. A standard terminology and notation for otolith readers. ICNAF Research Bulletin No. 2, 1965.

Jensen, Albert C., and Harriett E. Murray

1965. The U.S. cod fishery in the Northwest Atlantic. Commercial Fisheries Review, Vol. 27, No. 7, 1965.

Kelly, George F., and Allan M. Barker

1965. The copepod ectoparasite Sphyrion lumpi (Kroyer) in relation to redfish Sebastes marinus (L.) in the Gulf of Maine. ICNAF Spec. Publ. No. 6, 1965.

Stunkard, Horace W., and Fred E. Lux

1965. A microsporidian infection of the digestive tract of the winter flounder, Pseudopleuronectes americanus. Biological Bulletin, Vol. 129, No. 2, pp. 371-387, October 1965.

Wigley, Roland L.

1965. Review of The Sea, Volume II, The Earth Beneath the Sea. M. N. Hill, Ed., Wiley and Sons, New York and London. Transactions of the American Fisheries Society, Vol. 94, No. 3, July 1965, pp. 282-283.

1965. Density-dependent food relationships with reference to New England groundfish. ICNAF Special Publication No. 6, 1965.

_____, and Roger B. Theroux

1965. Seasonal food habits of highlands ground haddock. Transactions of the American Fisheries Society, Vol. 94, No. 3, July 1965, pp. 243-251.

Emery, K. O., and R. L. Edwards

1966. Archaeological potential of the Atlantic continental shelf. American Antiquity, Vol. 31, No. 5, Part 1, pp. 733-737. July 1966.

Jensen, Albert C.

1966. Life history of the spiny dogfish. Fishery Bulletin, Vol. 65, No. 3, pp. 527-554.

Lux, Fred E., Paul E. Hamer, and John C. Poole

1966. Summer flounder...the Middle Atlantic flatfish. Marine Resources of the Atlantic Coast. Atlantic States Marine Fisheries Comm. Leaflet No. 6, 4 p., October 1966.

_____, and L. R. Porter, Jr.

1966. Length-weight relation of the summer flounder Paralichthys dentatus (Linnaeus). SSR-Fisheries No. 531.

Merrill, Arthur S., Julius A. Posgay, and Fred E. Nichy

1966. Annual marks on shell and ligament of sea scallop (Placopecten magellanicus). Fishery Bulletin, Vol. 65, No. 2, pp. 299-311.

Wigley, Roland L., and Paul Shave

1966. Caprella grahami, a new species of caprellid (Crustacea: Amphipoda) commensal with starfishes. Biological Bulletin, Vol. 130, No. 2, pp. 289-296. April 1966.

Wigley, Roland L.

1966. New records of Cadulus (Scaphopoda) from the New England area. Nautilus, Vol. 79(3):90-96.

1966. Two new marine amphipods from Massachusetts, U.S.A. Crustaceana, Vol. 10, Part 3, pp. 259-270.

1966. Rare fossils dredged off Atlantic Coast. Commercial Fish. Rev., Vol. 28, No. 11, pp. 28-32.

Colton, John B., Jr.

1967. A comparison of current and long-term temperatures of continental shelf waters, Nova Scotia to Long Island. International Commission for the Northwest Atlantic Fisheries, Redbook 1967, Part IV, pp. 41-47.

Cumming, Kenneth B.

1967. Natural hemagglutinins in marine fishes. International Commission for the Northwest Atlantic Fisheries, Research Bulletin Number 4, pp. 59-66.

Graham, Herbert W.

1967. Recent trends in the fisheries of the Northwest Atlantic. Activities Report, Spring 1967, Vol. 19(1), pp. 5-13.

Jensen, Albert C., and Kenneth B. Cumming

1967. Use of lead compounds and tetracycline to mark scales and otoliths of marine fishes. Progressive Fish-Culturist 29(3), pp. 166-7.

Marak, Robert R.

1967. Eggs and larval stages of offshore hake, Merluccius albidus. Transactions of the American Fisheries Society, Vol. 96(2), pp. 227-8.

Wigley, Roland L.

1967. Comparative efficiencies of Van Veen and Smith-McIntyre grab samplers as revealed by motion pictures. Ecology, Vol. 48(1), pp. 168-9.

_____, and Henry W. Jensen

1967. Incidental catches of finfish in sea scallop dredges on Georges Bank. Commercial Fisheries Review, Vol. 29(7), pp. 63-70.

*Colton, John B., Jr.

1968. A comparison of current and long-term temperatures of continental shelf waters, Nova Scotia to Long Island. International Commission for the Northwest Atlantic Fisheries, Research Bulletin No. 5, pp. 110-129, 1968.

* 1968. Recent trends in subsurface temperatures in the Gulf of Maine and contiguous waters. Journal of the Fisheries Research Board of Canada, Vol. 25, No. 11, pp. 2427-2437.

* _____, Robert R. Marak, S. Nickerson, and Ruth R. Stoddard

1968. Physical, chemical, and biological observations on the continental shelf, Nova Scotia to Long Island, 1964-66. U.S. Fish and Wildlife Service Data Report 23, 190 p. on 3 microfiches (January 1968).

Edwards, R. L., and K. O. Emery

1968. The view from a storied sub--the 'Alvin' off Norfolk, VA. U.S. Fish and Wildlife Service, Commercial Fisheries Review, Vol. 30, Nos. 8-9, pp. 48-55 (August-September 1968).

*Graham, H. W.

1968. Trends in the marine fisheries of the continental shelf of the eastern United States. Transactions of the American Fisheries Society, Vol. 97, No. 1, pp. 77-82 (January 1968).

*Hennemuth, R. C.

1968. Biological and economic effects on Georges Bank haddock of conservation actions--biological aspects. Rept of the Working Group on Joint Biol. and Econ. Assessment on Cons. Actions, Appendix 1, Annual Proc. ICNAF, Vol. 17, pp. 48-84.

Lux, F. E.

1968. Cod end mesh selection studies of yellowtail flounder, Limanda ferruginea (Storer). Redbook 1968, Pt. 3.

*Posgay, Julius A.

1968. Trends in the Atlantic sea scallop fishery. U.S. Fish and Wildlife Service, Commercial Fisheries Review, Vol. 30, No. 5, pp. 24-26 (May 1968).

Wigley, R. L., and K. O. Emery

1968. Submarine photos of commercial shellfish off northeastern United States. U.S. Fish and Wildlife Service, Commercial Fisheries Review, Vol. 30, No. 3, pp. 43-49 (March 1968).

*Wigley, R. L.

1968. Benthic invertebrates of the New England fishing banks. Underwater Naturalist, Vol. 5, No. 1, pp. 8-13.

1968. Can submersible vehicles be used effectively in studies of cold water shelf fisheries? Fishing News International, Vol. 7, No. 3, pp. 32-34 (March 1968).

Bumpus, D. F.

1969. Reversals in the surface drift in the Middle Atlantic Bight area. Deep-Sea Res., Suppl. to Vol. 16:17-23.

Chase, J.

1969. Surface salinity along the east coast of the United States. Deep-Sea Res., Suppl. to Vol. 16:25-29.

Colton, J. B., Jr.

1969. Temperature conditions in the Gulf of Maine and adjacent waters during 1968. J. Fish. Res. Bd. Canada, 26(10):2746-2751.

Galtsoff, P. S.

1969. Anomalies and malformations in the shells of Crassostrea virginica. National Cancer Institute Monograph 31:575-580.

Grosslein, M. D.

1969. Groundfish survey program of BCF Woods Hole. Commer. Fish. Rev. 31(8-9):22-30.

Haynes, E. B., and R. L. Wigley

1969. Biology of the northern shrimp, Pandalus borealis, in the Gulf of Maine. Trans. Am. Fish. Soc., 98(1):60-76.

Jensen, A. C.

1969. Spiny dogfish tagging and migration in North America and Europe. Int. Comm. Northw. Atlant. Fish., Res. Bull. 6:72-78.

_____, and R. Livingstone, Jr.

1969. Offshore records of land birds. The Kingbird, 19(1):5-10.

Lux, F. E.

1969. Landings per unit effort, age composition, and total mortality of yellowtail flounder, Limanda ferruginea (Storer), off New England. Int. Comm. Northw. Atlant. Fish., Res. Bull. 6:47-52.

_____, and F. E. Nichy

1969. Length-weight relationships of six New England flatfishes. Trans. Am. Fish. Soc., 98(4):617-621.

_____, and F. E. Nichy

1969. Growth of yellowtail flounder, Limanda ferruginea (Storer), on three New England fishing grounds. Int. Comm. Northw. Atlant. Fish., Res. Bull. 6:5-25.

_____, and J. V. Mahoney

1969. First record of the channel bass, Sciaenops ocellata (Linnaeus), in the Gulf of Maine. Copeia, No. 3, pp. 632-633.

Lux, F. E., V. A. Richter, and M. D. Grosslein

1969. USA-USSR otter trawl survey, fall 1968. Int. Comm. Northw. Atlant. Fish., Redbook, Part 3, pp. 144-156.

Mather, F. J., III

1969. Long distance migrations of tunas and marlins. Underwater Naturalist, 6(1):6-14.

Nichy, F. E.

1969. Growth patterns on otoliths from young silver hake, Merluccius bilinearis (Mitch.). Int. Comm. Northw. Atlant. Fish., Res. Bull., 6:107-117.

Plough, H. H.

1969. Genetic polymorphism in a stalked ascidian from the Gulf of Maine. Jour. Heredity, 60(4):193-205.

Anonymous

1970. Pollock. Resource Report No. 1, Northwest Atlantic Fisheries, U.S. Department of Commerce, National Oceanographic and Atmospheric Administration (Authors: P. A. Earl, G. F. Kelly, J. D. Kaylor, F. E. Lux, H. R. McAvoy, E. D. McRae). 12 pages.

Anthony, V., Sauskan, V. I., and Sigaev, J. K.

1970. Cooperative herring egg survey-Georges Bank, 1969. Int. Comm. Northw. Atlant. Fish., Redbook 1970, part III:123-133.

Bowman, E. W., and A. Larsen

1970. Recommended practices for vessel sanitation and fish handling. U.S. Fish and Wildlife Service, Circular 333, 27 pages.

Brown, B. E., I. Inman, and A. Jearld, Jr.

1970. Schooling and shelter seeking tendencies in fingerling channel catfish. Trans. Am. Fish. Soc. 99:540-545.

Caldwell, D. K., W. F. Rathjen, and M. C. Caldwell

1970. Pilot whales mass stranded at Nevis, West Indies. Quarterly Journal of the Florida Academy of Science 33:241-243.

Chenoweth, S. B.

1970. Seasonal variations in condition of larval herring in the Boothbay area of the Maine coast. Journal of the Fisheries Research Board of Canada 27:1875-1879.

Colton, J. B., Jr., and W. R. Welch

1970. Comparison of the 1968 and 1969 temperature conditions in the Gulf of Maine and adjacent waters. International Commission for the Northwest Atlantic Fisheries, Redbook 1970, Part III:31-36.

Cooper, R. A.

1970. Retention of marks and their effects on growth, behavior, and migrations of the American lobster, Homarus americanus. Transactions of the American Fisheries Society 99:409-417.

Corbett, M. G.

1970. Machine for separating northern shrimp, Pandalus borealis, from fish and trash in the catch. Fishery Industrial Research 6: 53-61.

1970. Quick release branchline clip developed for longlining. Commercial Fisheries Review 32:50-53.

1970. A removable deck-block mounting pad. Commercial Fisheries Review 32:54-55.

Craven, R. E., and B. E. Brown

1970. Power plant heated discharge water and benthos in Boomer Lake, Payne County, Oklahoma. Journal of the Kansas Entomological Society 43:122-128.

Crossen, J. M.

1970. A device for automatically recording fishing effort aboard otter trawlers. International Commission for the Northwest Atlantic Fisheries, Research Bulletin 7:46-51.

Davis, C. W., and J. J. Graham

1970. Brit herring along Maine's coast. Commercial Fisheries Review 32:32-35.

Emery, K. O., R. D. Ballard, and R. Wigley

1970. A dive aboard the Ben Franklin off West Palm Beach, Florida. Marine Technology Society Journal 4:7-16.

Graham, J. J.

1970. Coastal currents of the Western Gulf of Maine. International Commission for the Northwest Atlantic Fisheries, Research Bulletin 7:19-31.

Grosslein, M. D., and V. I. Sauskan

1970. USA-USSR Cooperative Groundfish Survey, Autumn 1969. International Commission for the Northwest Atlantic Fisheries, Redbook 1970, part III:159-180.

Kensler, C. B.

1970. The potential of lobster culture. American Fish Farmer 1(11):8-12, 27.

Lewis, R. D.

1970. A bibliography of the lobsters, genus Homarus. U.S. Fish and Wildlife Service, Special Scientific Report, Fisheries 591, 47 pp.

Lux, F. E.

1970. Note on growth of American Plaice, Hippoglossoides platessoides (Fabr.) in ICNAF Subarea 5. International Commission for the Northwest Atlantic Fisheries, Research Bulletin 7:5-7.

Lux, F. E., A. E. Peterson, Jr., and R. F. Hutton

1970. Geographical variation in fin ray number in winter flounder, Pseudopleuronectes americanus (Walbaum), off Massachusetts. Transactions of the American Fisheries Society 99:483-488.

Marak, R. R., and R. Livingstone, Jr.

1970. Spawning dates of Georges Bank haddock. International Commission for the Northwest Atlantic Fisheries, Research Bulletin 7:56-58.

Parker, P. S., and E. D. McRae, Jr.

1970. The ocean quahog, Arctica islandica, resources of the northwestern Atlantic. Fishery Industrial Research 6:185-194.

Posgay, J. A., and R. R. Marak

1970. The number of haddock spawning on Georges Bank as estimated from egg surveys. International Commission for the Northwest Atlantic Fisheries, Redbook 1970, part III:96-102.

Rathjen, W. F., and B.C.C. Hsu

1970. Sea bob fishery of the Guianas. Commercial Fisheries Review 32(10):38-44.

_____, and J. R. Sullivan

1970. West Indies Whaling. Sea Frontiers 16:130-137.

Ridgway, G. J., S. W. Sherburne, and R. D. Lewis

1970. Polymorphism in the esterases of the Atlantic herring. Transactions of the American Fisheries Society 99:147-151.

Sherman, K.

1970. Seasonal and areal distribution of zooplankton in coastal waters of the Gulf of Maine, 1967 and 1968. U.S. Fish and Wildlife Service, Special Scientific Report, Fisheries 594, 8 pp.

Sherman, K., and K. A. Honey

1970. Vertical movements of zooplankton during a solar eclipse. Nature 227:1156-58.

Skud, B. E.

1970. Inshore and offshore lobsters form separate population. National Fisherman - Yearbook Issue 50:43-44, 46.

1970. Management of North American herring stocks. In "A Century of Fisheries in North America" edited by Norman C. Benson. American Fisheries Society, Special Publications 7:195-207.

Stephenson, M. E., E. D. Anderson, and R. A. Cole

1970. Hydrobiological evaluation of stream and nearshore systems: field studies. In Proceedings of the National Symposium on Data and Instrumentation for Water Quality Management, Madison, Wisconsin, July 21-23, 1970. James E. Kerrigan, Editor, Water Resources Center, University of Wisconsin, Madison, 521 p.

Stickney, A. P.

1970. Night lighting for herring -- an old technique may have new possibilities. Commercial Fisheries Review 32(4):38-40.

Uzmann, J. R.

1970. Use of parasites in identifying lobster stocks. Journal of Parasitology 56:349.

Wigley, Roland L.

1970. A tropical shrimp in the Bay of Fundy (Decapoda, Paleamonidae). Crustaceana 19:197-209.

_____, and Roger B. Theroux

1970. Sea-bottom photographs and macrobenthos collections from the continental shelf off Massachusetts. U.S. Fish and Wildlife Service, Special Scientific Report, Fisheries 613, 12 p.

Anthony, V. C.

1971. The density dependence of growth of the Atlantic herring in Maine. Rapports et Proces-Verbaux des Reunions 160:197-205.

Barlow, J., and G. Ridgway

1971. Polymorphisms of esterase isozymes in the American lobster (Homarus americanus). Journal of the Fisheries Research Board of Canada 28(1):15-21.

Barr, L. R., R. Cooper, P. Ellis, W. Herrnkind, I. Koblick, and J. Van Der Walker

1971. Ecology and population dynamics of the spiny lobster, Panulirus argus, of St. John Island, U.S. Virgin Islands. Scientists-in-the-Sea VI:34-57. U.S. Department of the Interior, Washington, D.C.

Brown, B. E., and R. C. Hennemuth

1971. Length-weight relations of haddock from commercial landings in New England, 1931-1955. NOAA Technical Report NMFS SSRF 638, 13 p.

1971. Prediction of yellowtail flounder population size from pre-recruit catches. International Commission for the Northwest Atlantic Fisheries, Redbook III:221-228.

Cooper, R. A., and J. R. Uzmann

1971. Migrations and growth of deep-sea lobsters, Homarus americanus. Science 171:288-290.

Davis, C. W.

1971. A direct-recording system for measuring small fish. Progressive Fish-Culturist 33(2):111.

1971. Marking small Atlantic herring with biological stains. Progressive Fish-Culturist 33(3):160-162.

Edmunds, P. H., and J. I. Sammons

1971. Genic polymorphism of tetrazolium oxidase in bluefin tuna, Thunnus thynnus, from the western North Atlantic. Journal of the Fisheries Research Board of Canada 28(7):1053-1055.

Graham, J. J., and C. W. Davis

1971. Estimates of mortality and year-class strength of larval herring in western Maine, 1964-1967. Rapports et Proces-Verbaux des Reunions 160:147-150.

Grosslein, M. D.

1971. Some observations on accuracy of abundance indices derived from research vessel surveys. International Commission for the Northwest Atlantic Fisheries, Redbook III:249-266.

Halliday, R. G., A. C. Kohler, and M. D. Grosslein

1971. Comparisons of abundance indices from research vessel surveys and commercial statistics for cod and haddock in ICNAF Subarea 4. International Commission for the Northwest Atlantic Fisheries, Redbook III:229-238.

Lux, F. E.

1971. Age determinations of fish (revised). Fishery Leaflet 637, 7 p.

_____, and F. E. Nichy

1971. Number and lengths by season of fishes caught with an otter trawl near Woods Hole, Massachusetts, September 1961 to December 1962. NOAA Technical Report NMFS, SSRF 622, 15 p.

Parker, P. S.

1971. History and development of surf clam harvesting gear. NOAA Technical Report NMFS Circ 364, 15 p.

Perkins, H. C.

1971. Egg loss during incubation from offshore northern lobsters (Decapoda:Homaridae). Fishery Bulletin 69(2):451-453.

Ridgway, G. J.

1971. Problems in the application of serological methods to population studies on fish. Rapports de Proces-Verbaux des Reunions 161:10-14.

_____, R. D. Lewis, and S. W. Sherburne

1971. Serological and biochemical studies of herring populations in the Gulf of Maine. Rapports et Proces-Verbaux des Reunions 161:21-25.

Sherman, K., and K. A. Honey

1971. Size selectivity of the Gulf III and Bongo zooplankton samplers. International Commission for the Northwest Atlantic Fisheries, Research Bulletin 8:45-48.

_____, and H. C. Perkins

1971. Seasonal variations in the food of juvenile herring in coastal waters of Maine. Transactions of the American Fisheries Society 100(1):121-124.

Smith, K. A.

1971. Untapped North Atlantic fisheries. In: Our Changing Fisheries. Sidney Shapiro, Ed. p. 360-373. U.S. Government Printing Office, Washington, D.C.

_____, and H. E. Stubbs

1971. Rotor device for controlling depth of towed fishing trawls. In Modern Fishing Gear of the World III, p. 401-405. Fishing News (Books) Ltd. London.

Watson, J. E.

1971. National Marine Fisheries Service Biological Laboratory, Boothbay Harbor, Maine. Fishery Leaflet 640, 11 p.

Wigley, R. L., and B. R. Burns

1971. Distribution and biology of mysids (Crustacea, Mysidacea) from the Atlantic Coast of the United States in the NMFS Woods Hole collection. Fishery Bulletin 69(4):717-746.

_____, and R. B. Theroux

1971. Association between post-juvenile red hake and sea scallops. Proceedings of the National Shellfisheries Association 61:86-87.

Arnold, C. R., C. Rogers, A. S. Smigielski, T. Malavik, and H. W. Pratt

1972. Algae form nursery for winter flounder. Maritimes 16(3):12-14.

Bowen, R. A., J. M. St. Onge, J. B. Colton, Jr., and C. A. Price

1972. Density gradient centrifugation as an aid to sorting planktonic organisms. Marine Biology 14(3):242-247.

Colton, J. B., Jr.

1972. Short-term variations on estimations of chlorophyll abundance. International Commission for the Northwest Atlantic Fisheries, Research Bulletin 9:81-84.

Colton, J. B., Jr.

1972. Temperature trends and the distribution of groundfish in continental shelf waters, Nova Scotia to Long Island. Fishery Bulletin 70(3):637-657.

Graham, J.

1972. Filtration efficiencies of Boothbay depressor trawls. Fishery Bulletin 70(2):518-520.

_____, S. B. Chenoweth, and C. W. Davis

1972. Retention of larval herring within the Sheepscot estuary of Maine. Fishery Bulletin 70(2):299-305.

_____, S. B. Chenoweth, and C. W. Davis

1972. Abundance, distribution, movements, and lengths of larval herring along the western coast of the Gulf of Maine. Fishery Bulletin 70(2):307-321.

Kelly, G. F., P. M. Earl, J. D. Kaylor, F. E. Lux, H. R. McAvoy, and E. D. McRae

1972. Redfish. NMFS Extension Publication--Fishery Facts 1, 18 p.

Lux, F. E., and J. V. Mahoney

1972. Predation by bluefish on flatfish. Marine Fisheries Review 34(7-8):30-35.

Perkins, H. C.

1972. Development rates at various temperatures of embryos of the northern lobster (Homarus americanus Milne-Edwards). Fishery Bulletin 70(1):95-99.

Smigielski, A. S., and C. R. Arnold

1972. Separating and incubating winter flounder. Progressive Fish-Culturist 34(2):113.

Smolowitz, R.

1972. Shipboard procedures to decrease lobster mortality. Commercial Fisheries Review 34(5-6):44-48.

Stern, H., Jr., and B. E. Brown

1972. Status of fish stocks off northeastern United States. Marine Fisheries Review 34(11-12):41-47.

Brown, B. E., J. A. Brennan, E. G. Heyerdahl, and R. C. Hennemuth

1973. Effect of by-catch on the management of mixed species fisheries in Subarea 5 and Statistical Area 6. International Commission for the Northwest Atlantic Fisheries, Redbook III:217-231.

Chenoweth, S. B.

1973. Fish larvae of the estuaries and coast of central Maine. Fishery Bulletin 71(1):105-113.

Colton, J. B., Jr., and R. R. Stoddard

1973. Bottom water temperatures on the continental shelf, Nova Scotia to New Jersey. NOAA Technical Report NMFS Circ. 376, 55 p.

Grosslein, M. D.

1973. Mixture of species in Subareas 5 and 6. International Commission for the Northwest Atlantic Fisheries, Redbook III:163-207.

Grosslein, M. D., and R. C. Hennemuth

1973. Spawning stock and other factors related to recruitment of haddock on Georges Bank. Rapports et Proces-Verbaux 164:72-88.

Hennemuth, R. C.

1973. Management of sea herring fisheries in the Northwest Atlantic. Proceedings of the Technical Conference on Fishery Management and Development. Journal of the Fisheries Research Board of Canada 30(12):2444-2451.

1973. A question of effort. Oceanus 17(3):25-30.

Lenarz, W. H., and B. E. Brown

1973. Factors affecting estimates of relative catchabilities of fishing units in ICNAF Subarea 5 and Statistical Area 6. International Commission for the Northwest Atlantic Fisheries, Redbook III:209-216.

Lux, F. E.

1973. Age and growth of the winter flounder, Pseudopleuronectes americanus, on Georges Bank. Fishery Bulletin 71(2):505-512.

1973. White spotting in the 1959 year-class of Georges Bank winter flounder, Pseudopleuronectes americanus (Walbaum). Transactions of the American Fisheries Society 102(1):83-88.

Penttila, J. A., and B. E. Brown

1973. Total mortality rates estimated from survey cruise data for two groups of yellowtail flounder in the southern New England and Georges Bank areas (ICNAF Subarea 5). ICNAF Research Bulletin 10:5-14.

Perkins, H. C.

1973. The larval stages of the deep sea red crab, Geryon quinquedens Smith, reared under laboratory conditions (Decapoda: Brachyryncha). Fishery Bulletin 71(1):69-82.

Sherburne, S. W.

1973. Cell types, differential cell counts, and blood cell measurements of a Portuguese shark, Centroscyrnus coelolepis, captured at 700 fathoms. Fishery Bulletin 71(2):435-439.

1973. Differential blood cell counts of Atlantic herring, Clupea harengus harengus. Fishery Bulletin 71(4):1011-1017.

1973. Erythrocyte degeneration in the Atlantic herring, Clupea harengus harengus L. Fishery Bulletin 71(1):125-134.

Wigley, R. L.

1973. Fishery for northern shrimp, Pandalus borealis, in the Gulf of Maine. Marine Fisheries Review 35(3-4):9-14.

_____, and F. C. Stinton

1973. Distribution of macroscopic remains of recent animals from marine sediments off Massachusetts. Fishery Bulletin 71(1):1-40.

Bowman, E. W.

1974. Lake Erie bottom trawl explorations, 1962-1966. NOAA Technical Report NMFS SSRF 674.

Colton, J. B., Jr.

1974. Plastics in the ocean. Oceanus 18(1):61-64.

1974. Plastic particles in surface waters of the northwestern Atlantic. Science 185:491-497, 499.

_____, and J. M. St. Onge

1974. Distribution of fish eggs and larvae in continental shelf waters, Nova Scotia to Long Island. American Geographical Society Serial Atlas of the Marine Environment Folio 23. (Not included in this volume because of its size.

Cooper, R. A., and D. J. Scarratt

1974. Evaluation of lock-out submarine "Deep Diver" for in situ biological work in boreal waters. Helgolander Wissenschaftliche Meeresuntersuchungen 24:82-90.

Hill, M. A.

1974. First record of Hemiurus levinseni Odhner (Trematoda: Hemiuridae) in haddock in the western North Atlantic Ocean. Journal of Parasitology 60(3):544-545.

Laurence, G. C.

1974. Growth and survival of haddock larvae, Melanogrammus aeglefinus, in relation to planktonic prey concentration. Journal of the Fisheries Research Board of Canada 31(8):1415-1419.

Lux, F. E., W. D. Handwork, and W. F. Rathjen

1974. The potential for an offshore squid fishery in New England. Marine Fisheries Review 36(12):24-37.

Serchuk, F. M., and W. F. Rathjen

1974. Aspects of the distribution and abundance of the long-finned squid, Loligo pealei, between Cape Hatteras and Georges Bank. Marine Fisheries Review 36(1):10-17.

Colton, J. B., Jr., D. E. Smith and V. W. Vossi

1975. Further observations on a thermal front in the Sargasso Sea. Deep Sea Research 26(6):433-439.

Cooper, R. A., R. Clifford, and C. Newell

1975. Seasonal abundance of the American lobster, Homarus americanus, in the Boothbay Region of Maine. Transactions of the American Fisheries Society 104:669-674.

_____, R. Ellis, and S. Serfling

1975. Population dynamics, ecology and behavior of spiny lobsters, Panulirus argus, of St. John, U.S.V.I: III. Population estimation and turnover. Results of the Tektite Program: coral reef invertebrates and plants. Natural History Museum of Los Angeles County Science Bulletin 20:23-30.

Edwards, R. L., and R. C. Hennemuth

1975. Maximum yield: assessment and attainment. Oceanus 18(2):3-9.

Laurence, G. C.

1975. Laboratory growth and metabolism of the winter flounder, Pseudopleuronectes americanus, from hatching through metamorphosis at three temperatures. Marine Biology 32:223-229.

Olsen, D. A., W. Herrnkind, and R. A. Cooper

1975. Population dynamics, ecology and behavior of spiny lobsters, Panulirus argus, of St. John, U.S.V.I.: I. Introduction and general population characteristics. Results of the Tektite Program: coral reef invertebrates and plants. Natural History Museum of Los Angeles County Science Bulletin 20:11-16.

Schuck, H. A.

1975. Possible anomalies of giant bluefin tuna. Marine Fisheries Review 37(12):1-12.

Smigielski, A. S.

1975. Hormonal-induced ovulation of the winter flounder, Pseudopleuronectes americanus. Fishery Bulletin 73(2):431-438.

1975. Hormone-induced spawnings of the summer flounder and rearing of the larvae in the laboratory. Progressive Fish-Culturist 37(1):3-8.

St. Onge, J. M., and C. A. Price

1975. Automatic sorting of ichthyoplankton: factors controlling plankton density in gradients of silica. Marine Biology 29:187-194.

Stern, H., and R. C. Hennemuth

1975. A two-way model for estimating standardized fishing effort applied to the U.S. haddock fleet. Rapport et Proces-Verbaux 168:44-49.

Wigley, R. L., R. B. Theroux, and H. E. Murray

1975. Deep sea red crab (Geryon quinquedens) survey off northeastern United States. Marine Fisheries Review 37(8):1-21.

Anderson, E. D.

1976. Measures of abundance of Atlantic mackerel off the north-eastern coast of the United States. International Commission for the Northwest Atlantic Fisheries, Research Bulletin 12:5-21.

Brown, B. E.

1976. Status of fishery resources and resource assessment in the area off the coast of the northeastern United States. Marine Technology Society Journal 10(4):7-18.

_____, J. A. Brennan, M. D. Grosslein, E. G. Heyerdahl, and R. C. Hennemuth.

1976. The effect of fishing on the marine finfish biomass in the Northwest Atlantic from the Gulf of Maine to Cape Hatteras. International Commission for the Northwest Atlantic Fisheries, Research Bulletin 12:49-68.

Merrill, A. S., and R. L. Edwards

1976. Observations on mollusks from a navigation buoy with special emphasis on the sea scallop, Placopecten magellanicus. Nautilus 90(1):54-61.

Parrack, M. L.

1976. Estimation of fishing effort in the western North Atlantic from aerial search data. Fishery Bulletin 74(3):503-516.

Penttila, J. A., and V. M. Gifford

1976. Growth and mortality rates for cod from the Georges Bank and Gulf of Maine areas. International Commission for the Northwest Atlantic Fisheries, Research Bulletin 12:29-36.

Wigley, R. L., and J. L. Messersmith

1976. Benthochascon schmitti Rathbun (Decapoda, Brachyura) off southern New England. Crustaceana 31(1):111-112.

Anderson, E. D.

1977. Distribution of Atlantic mackerel in ICNAF Subarea 5 and Statistical Area 6 based on research vessel spring bottom trawl surveys, 1977. International Commission for the Northwest Atlantic Fisheries, Selected Papers 2:33-44.

Brennan, J. A., and J. E. Palmer

1977. Variability of "q" as measured by variation in daily catch per effort. International Commission for the Northwest Atlantic Fisheries, Selected Papers 2:111-136.

Casey, J. G., and J. M. Hoenig

1977. Apex predators in Deepwater Dumpsite 106. In: Baseline Report of Environmental Conditions in Deepwater Dumpsite 106. NOAA Dumpsite Evaluation Report 77-1:309-376, 601-724.

Clark, S. H., and B. E. Brown

1977. Changes in biomass of finfishes and squids from the Gulf of Maine to Cape Hatteras, 1963-74, as determined from research vessel survey data. Fishery Bulletin 75(1):1-22.

_____, T. S. Burns, and R. G. Halliday

1977. Assessment of the pollock fishery in ICNAF Divisions 4VWX and Subarea 5. International Commission for the Northwest Atlantic Fisheries, Selected Papers 2:15-32.

Colton, J. R., and R. R. Byron

1977. Gulf of Maine-Georges Bank ichthyoplankton collected on ICNAF larval herring surveys, September 1971-February 1975. NOAA Technical Report NMFS-SSRF 717.

Edwards, R. L., and K. O. Emery

1977. Man on the continental shelf. Annals of the New York Academy of Sciences 288:245-256.

_____, and A. S. Merrill

1977. A reconstruction of the continental shelf areas of eastern North America for the times 9,500 B.P. and 12,500 B.P. Archaeology of Eastern North America 5:1-44.

Laurence, G. C.

1977. A bioenergetic model for the analysis of feeding and survival potential of winter flounder, Pseudopleuronectes americanus, larvae during the period from hatching to metamorphosis. Fishery Bulletin 75(3):529-546.

Nichy, F.

1977. Thin sectioning of fish ear bones. Sea Technology 18(2):27.

Price, C. A., J. M. St. Onge-Burns, J. B. Colton, and J. E. Joyce

1977. Automatic sorting of zooplankton by isopycnic sedimentation in gradients of silica: Performance of a "Rho Spectrometer." Marine Biology 42:225-231.

Sissenwine, M. P.

1977. Is MSY an adequate foundation for optimum yield? Report of the National Workshop on the Concept of Optimum Yield in Fisheries Management, Houston, Texas (Part II):91-117.

1977. A compartmentalized simulation model of the southern New England yellowtail flounder, Limanda ferruginea, fishery. Fishery Bulletin 75(3):465-482.

1977. The effect of random fluctuations in a hypothetical fishery. International Commission for the Northwest Atlantic Fisheries, Selected Papers 2:137-144.

_____, and A. M. Tibbetts

1977. Simulating the effect of fishing on squid (Loligo and Illex) populations in the northeastern United States. International Commission for the Northwest Atlantic Fisheries, Selected Papers 2:85-110.

Tibbetts, A. M.

1977. Squid fisheries (Loligo peali and Illex illecebrosus) off the northeastern coast of the United States of America, 1963-74. International Commission for the Northwest Atlantic Fisheries, Selected Papers 2:85-110.

Uzmann, J. R., R. A. Cooper, and K. J. Pecci

1977. Migration and dispersion of tagged American lobsters, Homarus americanus, on the southern New England continental shelf. NOAA Technical Report NMFS-SSRF 705.

Uzmann, J. R., R. A. Cooper, R. B. Theroux, and R. L. Wigley

1977. Synoptic comparison of three sampling techniques for estimating abundance and distribution of selected megafauna: submersible vs. camera sled vs. otter trawl. Marine Fisheries Review 39(12):11-19.

Williams, A. B., and R. L. Wigley

1977. Distribution of decapod crustacea off the northeastern United States based on specimens at the Northeast Fisheries Center, Woods Hole, Massachusetts. NOAA Technical Report NMFS Circular 407.

Anderson, Emory D., and Bruce B. Ackerman

1978. Comparison of U.S.A. bottom trawl abundance indices for Atlantic mackerel based on day, night, and total catches. International Commission for the Northwest Atlantic Fisheries, Selected Papers 3:45-48.

Bowman, Ray E., and Richard W. Langton

1978. Fish predation on oil-contaminated prey from the region of the ARGO MERCHANT oil spill. In: In the Wake of the ARGO MERCHANT: Proceedings of a Symposium held January 11-13, 1978, pp. 137-141.

Brennan, Judith A., and Joan E. Palmer

1978. Estimates of variance of age composition of mackerel catches in ICNAF Subarea 5 and Statistical Area 6. International Commission for the Northwest Atlantic Fisheries, Selected Papers 3:80-91.

Davis, Clarence W.

1978. Seasonal bottom-water temperature trends in the Gulf of Maine and on Georges Bank, 1963-75. NOAA Technical Report NMFS SSRF-725, 17 p.

1978. Spring and autumn bottom-water temperatures in the Gulf of Maine and Georges Bank, 1968-75. In: Ocean Variability: Effects on U.S. Marine Resources--1975, Section 14, pp. 241-256. Edited by J. R. Goulet, Jr., and E. D. Haynes. NOAA Technical Report, NMFS Circular 416.

Lange, Anne M. T.

1978. Historical trends and current status of the squid fisheries off the Northeastern United States. In: Proceedings of the Workshop on the Squid, *Illex illecebrosus*. Canada. Fisheries and Marine Service Technical Report No. 833:3.1-3.10.

Langton, Richard W., and Richard D. Brodeur

1978. Occurrence of a rare adult mud shrimp, Naushonia crangonoides Kingsley, 1897, in the Chesapeake Bay Region (Decapoda, Thalassinidea). Crustaceans 35(1):96-98.

Lough, R. Gregory

1978. The distribution and abundance, growth, and mortality of Georges Bank - Nantucket Shoals herring larvae during the 1975-76 winter period. In: Ocean Variability: Effects on U.S. Marine Fishery Resources--1975, Section 19, pp. 309-311. Edited by J. R. Goulet, Jr., and E. D. Haynes. NOAA Technical Report NMFS Circular 416.

Lux, Fred E., Joseph R. Uzman, and H. F. Lind

1978. Strandings of the shortfin squid, Illex illecebrosus, in New England in fall, 1976. Marine Fisheries Review 40(1):21-26.

MacKenzie, Clyde L., Arthur S. Merrill, and Fred M. Serchuk

1978. Sea scallop resources off the northeastern U.S. coast, 1975. Marine Fisheries Review 40(2):19-23.

Mustafa, Helen

1978. Sea fantasy, Yankee style. NOAA Magazine 8(3):50-52.

Pawlowski, Robert J.

1978. The Gulf of Maine temperature structure between Bar Harbor, Maine, and Yarmouth, Nova Scotia, June 1975-November 1976. NOAA Technical Report NMFS SSRF-726, 10 p.

Pecci, K. J., Richard A. Cooper, Clifford D. Newell, Roger A. Clifford, and Ronald J. Smolowitz

1978. Ghost fishing of vented and unvented lobster, Homarus americanus, traps. Marine Fisheries Review 40(5-6):9-24.

Sissenwine, Michael P., and Edgar W. Bowman

1978. An analysis of some factors affecting catchability of fish by bottom trawls. International Commission for the Northwest Atlantic Fisheries Research Bulletin No. 13:81-87.

Sissenwine, Michael P.

1978. Is MSY an adequate foundation for optimum yield? Fisheries 3(6):22-42.

Sissenwine, Michael P.

1978. Using the U.S.A. research-vessel spring bottom-trawl survey as an index of Atlantic mackerel abundance. International Commission for the Northwest Atlantic Fisheries, Selected Papers 3:49-55.

Smolowitz, Ronald Joel

1978. Annotated bibliography on lobster trapping and related subjects. Marine Fisheries Review 40(5-6):68-77.

1978. Trap design and ghost fishing: Discussion. Marine Fisheries Review 40(5-6):59-67.

1978. Trap design and ghost fishing: An overview. Marine Fisheries Review 40(5-6):2-8.

Anderson, Emory D.

1979. Assessment of the Northwest Atlantic mackerel, Scomber scombrus, stock. NOAA Technical Report NMFS SSRF-732, 13 p.

Anthony, Vaughn C., and Stephen Clark

1979. A description of the northern shrimp fishery and its decline in relation to water temperature. In: Climate and Fisheries. Proceedings from a workshop held March 29-31, 1978. Kingston, RI: Center for Ocean Management Studies, pp. 119-121.

Azarovitz, Thomas R., Charles J. Byrne, and Malcolm J. Silverman

1979. Effects on finfish and lobster. In: Oxygen depletion and associated benthic mortalities in New York Bight, 1976, pp. 295-314. Edited by R. Lawrence Swanson and Carl J. Sindermann. NOAA Professional Paper 11.

Bishop, Joseph M., and Kathy Bush

1979. Comment on "Mean Circulation in Shallow Seas" by G. T. Csanady. Journal of Geophysical Research 84(C6):3253.

Clark, Stephen H.

1979. Application of bottom-trawl survey data to fish stock assessment. Fisheries 4(3):9-15.

Clark, Stephen H., and Bradford Brown

1979. Trends in biomass of finfishes and squids in ICNAF Subarea 5 and Statistical Area 6, 1964-1977, as determined from research vessel survey data. Investigation Pesquera 43(1):107-122.

Davis, Clarence W.

1979. Bottom-water temperature trends in the Gulf of Maine and on Georges Bank during spring and autumn, 1976. In: Ocean Variability in the U.S. Fishery Conservation Zone, 1976, pp. 353-362. Edited by Julian R. Goulet and Elizabeth D. Haynes. NOAA Technical Report NMFS Circular 427.

1979. Bottom-water temperature trends in the Middle Atlantic Bight during spring and autumn, 1964-76. NOAA Technical Report NMFS SSRF -739, 13 p.

Edwards, Robert L., and Ray E. Bowman

1979. Food consumed by continental shelf fishes. In: Predator-prey Systems in Fisheries Management, pp. 387-406. Washington, D.C.: Sport Fishing Institute.

Grosslein, Marvin D.

1979. Some remarks on the nature of the fisheries data base in the Northwest Atlantic. Climate and Fisheries. Proceedings of a workshop held March 29-31, 1978, pp. 84-92. Kingston, RI: Center for Ocean Management Studies.

_____, Bradford E. Brown, and Richard C. Hennemuth

1979. Research, assessment, and management of a marine ecosystem in the Northwest Atlantic - A case study. In: Environmental Biomonitoring, Assessment, Prediction, and Management - Certain Case Studies and Related Quantitative Issues, pp. 287-357. Edited by J. Cairns, G. P. Patil, and W. E. Waters. Fairland, MD: International Cooperative Publishing House.

Hennemuth, Richard C.

1979. Man as predator. In: Contemporary Quantitative Ecology and Related Ecometrics, pp. 507-532. Edited by G. P. Patil, and M. L. Rosenzweig. Fairland, MD: International Cooperative Publishing House.

Hennemuth, Richard C.

1979. Marine Fisheries: Food for the future? Oceanus 22(1):2-12.

Meyer, Thomas L., Richard A. Cooper, and Richard W. Langton

1979. Relative abundance, behavior, and food habits of the American sand lance, Ammodytes americanus, from the Gulf of Maine. Fishery Bulletin 77(1):243-253.

Murawski, Steven A., and Fredric Serchuk

1979. Shell length-meat weight relationships of ocean quahogs, Arctica islandica, from the Middle Atlantic shelf. Proceedings of the National Shellfisheries Association 69:40-46.

_____, and Gordon T. Waring

1979. A population assessment of butterfish, Peprilus triacanthus, in the northwestern Atlantic Ocean. Transactions of the American Fisheries Society 108(5):427-439.

Neves, Richard J., and Linda Despres

1979. The ocean migration of American shad, Alosa sapidissima, along the Atlantic coast. Fishery Bulletin 77(1):199-212.

Overholtz, William J., and John R. Nicolas

1979. Apparent feeding by the fin whale, Balaenoptera physalus, and the humpback whale, Megaptera novaengliae, on the American sand lance, Ammodytes americanus, in the Northwest Atlantic. Fishery Bulletin 77(1):285-287.

Palmer, Joan, and Stephen H. Clark

1979. Haddock. Atlantic States Marine Fisheries Commission, Leaflet No. 9, 4 p. Revised August 1979.

Patil, G. P., C. Taillie, and Roland L. Wigley

1979. Transect sampling methods and their application to the deep-sea red crab. In: Environmental Biomonitoring, Assessment, Prediction, and Management -- Certain Case Studies and Related Quantitative Issues, pp. 51-73. Edited by J. Cairns, Jr., G. P. Patil, and W. E. Waters. Fairland, MD: International Cooperative Publishing House.

Pawlowski, Robert J.

1979. Vertical temperature structure and sea surface salinity in the Gulf of Maine in 1977. Annales Biologiques 34:27-33.

Pennington, Michael P.

1979. Fitting a growth curve to field data. In: Statistical Distributions in Ecological Work, pp. 419-428. Edited by J. K. Ord, G. P. Patil, and C. Taillie. Fairland, MD: International Cooperative Publishing House.

Posgay, J. Arthur

1979. Population assessment of the Georges Bank sea scallop stocks. Rapports et Procès-verbaux des Réunions 175:109-113.

Ramp, Steven, R., and Edward C. Brainard, II.

1979. Slack moorings for continental shelf in situ tethered current meters. Ocean Energy: Fifteenth Annual Conference sponsored by the Marine Technology Society, pp. 52-57. Washington, D.C.: The Marine Technology Society.

Ropes, John W.

1979. Biology and distribution of surf clams (Spisula solidissima) and ocean quahogs (Arctica islandica) off the Northeast Coast of the United States. Proceedings of Northeast Clam Industries: Management for the Future. A Symposium held April 27 and 28, 1978 in Hyannis, Massachusetts, pp. 47-66.

_____, Arthur S. Merrill, Steven A. Murawski, Sukwoo Chang, and Clyde L. MacKenzie, Jr.

1979. Impact on clams and scallops. Part 1. Field survey assessments. In: Oxygen depletion and associated benthic mortalities in New York Bight, 1976. Edited by R. Lawrence Swanson and Carl J. Sindermann. NOAA Professional Paper 11.

Anderson, Emory D., Fred E. Lux, and Frank P. Almeida

1980. The silver hake stocks and fishery off the northeastern United States. Marine Fisheries Review 42(1):12-20.

_____, and Guy D. Marchesseault

1980. Definition of management units. NOAA Technical Memorandum NMFS-F/NEC-3, 11 p.

_____, and A. J. Paciorkowski

1980. A review of the Northwest Atlantic mackerel fishery. In: The assessment and management of pelagic fish stocks. Rapports et Procès-verbaux des Réunions du Comité International pour l'Exploration de la Mer

Anthony, Vaughn C.

1980. Review of lobster mortality estimates in the United States. In: Proceedings of the Canada - U.S. workshop on the status of assessment science for N.W. Atlantic lobster (Homarus americanus) stocks (St. Andrews, N.B., Oct. 24-26, 1978). Canadian Technical Report of Fisheries and Aquatic Sciences, No. 932, pp. 17-25. Edited by V. C. Anthony and J. F. Caddy.

_____, and J. F. Caddy, editors.

1980. Proceedings of the Canadian - U.S. workshop on the status of assessment science for N.W. Atlantic lobster (Homarus americanus) stocks (St. Andrews, N.B., Oct. 24-26, 1978). Canadian Technical Report of Fisheries and Aquatic Sciences, No. 932.

_____, and Gordon Waring

1980. The assessment and management of the Georges Bank herring fishery. In: The assessment and management of pelagic fish stocks. Rapports et Proces-Verbaux des Reunions. Conseil International pour l'Exploration de la Mer, 177:72-111.

Brown, Bradford

1980. Why we count fish. Underwater Naturalist 12(4):2-8.

Burns, Thurston, and Stephen H. Clark

1980. Application of U.S. bottom trawl survey and commercial data to offshore lobster assessments. In: Proceedings of the Canada - U.S. workshop on the status of assessment science for N.W. Atlantic lobster (Homarus americanus) stocks (St. Andrews, N.B., Oct. 24-26, 1978). Canadian Technical Report of Fisheries and Aquatic Sciences, No. 932.

Cooper, Richard A., and Joseph R. Uzman

1980. Ecology of juvenile and adult Homarus. In: The Biology and Management of Lobsters (Volume II. Ecology and Management), pp. 97-142. Edited by J. S. Cobb and B. F. Phillips. New York: Academic Press.

Crossen, James M., and Ronald Joel Smolowitz

1980. System requirements of an electron hydraulic clam dredge. Marine Technology. Proceedings of the Sixteenth Annual Conference of the Marine Technology Society, pp. 433-438.

Dickinson, John J., Roland L. Wigley, Richard D. Brodeur, and Susan Brown-Leger.

1980. Distribution of gammaridean amphipoda (Crustacea) in the Middle Atlantic Bight Region. NOAA Technical Report NMFS SSRF-741, 46 p.

Edwards, Robert L.

1980. Introductory comments. Advanced Concepts in Ocean Measurements for Marine Biology, pp. 1-5. Edited by Ferdinand P. Diemer, F. John Vernberg, and Donna Z. Mirkes. Columbia, South Carolina: University of South Carolina Press.

Flescher, Donald D. and

1980. Guide to some trawl caught marine fishes from Maine to Cape Hatteras, North Carolina. NOAA Technical Report NMFS Circular 431, 34 p.

Franz, David R., and Arthur S. Merrill

1980. Molluscan distribution patterns on the continental shelf of the Middle Atlantic Bight. Malacologia 19(2):209-225.

1980. The origins and determinations of distribution of molluscan faunal groups on the shallow continental shelf of the Northwest Atlantic. Malacologia 19(2):227-248.

Grosslein, Marvin D., Richard W. Langton, and Michael P. Sissenwine

1980. Recent fluctuations in pelagic fish stocks in the Northwest Atlantic Georges Bank region, in relation to species interactions. In: The assessment and management of pelagic fish stocks. Rapports et Proces-Verbaux des Reunions. Conseil International pour l'Exploration de la Mer, 177:374-404.

Hennemuth, Richard C., Joan E. Palmer, and Bradford E. Brown

1980. A statistical description of recruitment in eighteen selected fish stocks. Journal of Northwest Atlantic Fishery Science 1:101-111.

_____, Brian J. Rothschild, Lee G. Anderson, and
William A. Lund, Jr.

1980. Overview document of the Northeast Fishery Management Task Force, Phase 1. NOAA Technical Memorandum NMFS-F/NEC-1, 12 p.

Jensen, Henry W., and Donald D. Flescher

1980. Two weeks before the mast. Underwater Naturalist 12(4):17-24.

Langton, Richard, and Ray E. Bowman

1980. Food of fifteen Northwest Atlantic gadiform fishes. NOAA Technical Report NMFS SSRF-740, 23 p.

Lange, Anne, M. T., and Michael T. Sissenwine

1980. Biological considerations relevant to the management of squid (Loligo pealei and Illex illecebrosus) of the Northwest Atlantic. Marine Fisheries Review 42(7-8):23-38.

Mayo, Ralph K.

1980. Exploration of redfish, Sebastes marinus (L.) in the Gulf of Maine - Georges Bank region, with particular reference to the 1971 year class. Journal of Northwest Fishery Science 1:21-37.

McBride, Margaret M., and Bradford E. Brown

1980. The status of the marine fishery resources of the northeastern United States. NOAA Technical Memorandum NMFS-F/NEC-5, 29 p.

Murawski, Stephen A., and Fredric M. Serchuk

1980. Clams and scallops of the Northeast Coast. Underwater Naturalist 12(4):25-33.

Patil, G. P., G. Taille, and R. L. Wigley

1980. Transect sampling methods and their applications to the deep sea red crab. Advanced Concepts in Ocean Measurements for Marine Biology, pp. 493-504. Edited by Ferdinand P. Diemer, F. John Vernberg, and Donna Z. Mirkes. Columbia, South Carolina: University of South Carolina Press.

Posgay, Julius Arthur, and R. R. Marak

1980. The MARMAP bongo zooplankton samplers. Journal of Northwest Atlantic Fisheries Science, Vol. 1:91-99.

Robinson, W. E., and Richard W. Langton

1980. Digestion in a subtidal population of Mercenaria mercenaria (Bivalvia). Marine Biology 58:173-179.

Ropes, John W.

1980. Biological and fisheries data on the Atlantic surf clam, Spisula solidissima (Dillwyn). NMFS Northeast Fisheries Center, Sandy Hook Technical Series Report, No. 24, 88 p.

Rothschild, Brian J., Richard C. Hennemuth, Jacob J. Dykstra, Leo C. Murphy, Jr., John C. Bryson, and James D. Ackert

1980. Methodology for identification and analysis of fishery management options. NOAA Technical Memorandum NMFS-F/NEC-7, 15 p.

Sissenwine, Michael P., and James E. Kirkley

1980. Fishery management techniques, a review. NOAA Technical Memorandum NMFS-F/NEC-4, 10 p.

Smolowitz, Ronald Joel, and Fredric M. Serchuk

1980. Recent U.S. lobster trap gear research: Applications and implications. In: Proceedings of the Canada - U.S. workshop on the status of assessment science for N.W. Atlantic lobster (Homarus americanus) stocks (St. Andrews, N.B., Oct. 24-26, 1978). Canadian Technical Report of Fisheries and Aquatic Sciences, No. 932, pp. 73-76.

Valentine, Page C., Joseph R. Uzman, and Richard A. Cooper

1980. Geology and biology of Oceanographer submarine canyon. Marine Geology 38:283-312.

Azarovitz, T. R.

1981. A brief historical review of the Woods Hole Laboratory trawl survey time series. Doubleday, W. G.; Rivard, D. eds. Bottom trawl surveys. Canadian Special Publication of Fisheries and Aquatic Sciences 58:62-67.

Bolz, G. R., R. G. Lough, and D. C. Potter

1981. Autumn and winter abundance and distribution of ichthyoplankton on Georges Bank and Nantucket Shoals, 1974-76 with special emphasis on dominant species. Rapport et Proces-verbaux des Reunions, Conseil International pour l'exploration de la Mer, 178:168-170.

Bowman, R. E.

1981. Food and feeding of 0-group haddock in the Northwest Atlantic. Rapport et Proces-Verbaux des Reunions, Conseil International pour l'exploration de la Mer, 178:322-323.

1981. Food of 10 species of northwest Atlantic juvenile groundfish. Fishery Bulletin 79(1):200-206.

Byrne, C. J., T. R. Azarovitz, M. P. Sissenwine

1981. Factors affecting variability of research vessel trawl surveys. Doubleday, W. G., D. Rivard, eds. Bottom trawl surveys. Canadian Special Publication of Fisheries and Aquatic Sciences, 58: 258-273.

Clark, S. H.

1981. Use of trawl survey data in assessments. Doubleday, W. G., D. Rivard, eds. Bottom trawl surveys. Canadian Special Publication of Fisheries and Aquatic Sciences, 58:82-92.

_____, and V. C. Anthony

1981. An assessment of the Gulf of Maine northern shrimp resource. Proceedings International Pandalid Shrimp Symposium, February 13-15, 1979, Kodiak, Alaska.

Cohen, R. E., and R. G. Lough

1981. Length-weight relationships for several copepods dominant in the Georges Bank-Gulf of Maine area. Journal Northwest Atlantic Fishery Science 2:47-52.

Dickinson, J. J., and R. L. Wigley

1981. Distribution of Gammaridean Amphipoda (Crustacea) on Georges Bank. NOAA Technical Report NMFS-SSRF-746, 25 p.

Edwards, R. L.

1981. The excluded middle - or, The need for a new direction. Fisheries 6(4):12-18.

Henderson, E., and G. D. Marchesseault

1981. A biological prediction model developed in support of an operations research approach to the management of the New England groundfish fishery. In: Applied operations research in fishing. New York: Plenum Publishing Co., edited by K. H. Haley.

Lange, Anne M. T., and K. L. Johnson

1981. Dorsal mantle length-total weight relationships of squids Loligo pealei and Illex illecebrosus from the Atlantic coast of the United States. NOAA Technical Report NMFS,SSRF-745, 17 p.

Langton, R. W., and R. E. Bowman

1981. Food of eight northwest Atlantic pleuronectiform fishes. NOAA Technical Report NMFS-SSRF-749, 16 p.

Lough, R. G., G. R. Bolz, M. D. Grosslein, and D. C. Potter

1981. Abundance and survival of sea herring (Clupea harengus L.) larvae in relation to environmental factors, spawning stock size, and recruitment for the Georges Bank area, 1968-77. Rapport Proces-verbaux Reunions, Conseil International l'Exploration de la Mer, 178:220-222.

Meyer, T. L., R. A. Cooper, and K. J. Pecci

1981. The performance and environmental effects of a hydraulic clam dredge. Marine Fisheries Review 43(9):14-22.

Murawski, S. A., J. W. Ropes, and F. M. Serchuk

1981. Population biology of the oceans in the Middle Atlantic Bight. Journal Shellfisheries Research 1(1):120. (Abstract.)

Pennington, M., and B. E. Brown

1981. Abundance estimators based on stratified random trawl surveys. In W. G. Doubleday and D. Rivard (eds.). Bottom trawl surveys. Canadian Special Publications for Fisheries and Aquatic Sciences, 58:149-153.

Posgay, J. A.

1981. Grid versus random sampling for ichthyoplankton. NAFO Scientific Council Studies, No. 1:31-33.

1981. Movements of tagged sea scallops on Georges Bank. Marine Fisheries Review 43(4):19-25.

Robinson, W., M. Pennington, and R. Langton

1981. Variability of tubule types within the digestive glands of Mercenaria mercenaria (L.), Ostrea edulis (L.), and Mytilus edulis (L.). Journal Experimental Marine Biology Ecology 54:265-276.

Ropes, J. W., and S. A. Murawski

1981. Size and age at sexual maturity of ocean quahogs, Arctica islandica Linne, from a deep oceanic site. Journal of Shellfisheries Research 1(1):122. (Abstract.)

Smith, Ronal W., L. M. Dery, P. G. Scarlett, and A. Jearld, Jr.

1981. Proceedings of the summer flounder (Paralichthys dentatus) age and growth workshop, 20-21 May 1980, Northeast Fisheries Center, Woods Hole, Massachusetts. NOAA Technical Memorandum NMFS-F/NEC-11.

Wigley, R. L., and R. B. Theroux

1981. Atlantic continental shelf and slope of the United States-- Macrobenthic invertebrate fauna of the Middle Atlantic Bight Region--Faunal composition and quantitative distribution. Geological Survey Professional Paper 529-N, 198 p.