

Relevant literature on fish acoustics

How do fish vocalize?

Connaughton, M.A. *et al.*, (2002). Weakfish sonic muscle: influence of size, temperature and season. *J Exp Biol.* **205**:2183–2188.

Courtenay, W.R.J. (1971). Sexual dimorphism of the sound producing mechanism of the striped cuskeel, *Rissola marginata* (Pisces: Ophidiidae). *Copeia.* **2**:259–268.

Fine, M. L., *et al.*, (1997). Pectoral spine locking and sound production in the channel catfish *Ictalurus punctatus*. *Copeia* **4**:777-790.

Fine, M.L. *et al.*, (2001). Movement and sound generation by the toadfish swimbladder. *J Comp Physiol A* **187**:371–379.

Fish, M. P. & Mowbray, H. M. (1970). Sounds of Western North Atlantic Fishes. Baltimore, MD: The Johns Hopkins Press. 205 p. Recordings of 153 species of fish from the Western North Atlantic compiled by Marie P. Fish and William H. Mowbray

Groison, A.L. *et al.*, (2011). Sexual dimorphism of drumming muscles in European hake (*Merluccius merluccius*). *Envir Biol Fish* **91**:7–13.

Ladich, F. (ed) (2015). Sound Communication in fishes. Springer, Wien.

McCauley, R.D. & Cato, D.H. (2000). Patterns of fish calling in a nearshore environment in the Great Barrier Reef. *PROC B.* **355**:1289-1293.

Parsons, M.J.G. *et al.*, (2016). Characterizing diversity and variation in fish choruses in Darwin Harbour. *ICES J Mar Sci* **73**:2058 - 2074.

Radford, C.A. *et al.*, (2015). Vocalisations of the bigeye *Pempheris adspersa*: characteristics, source level and active space. *J Exp Biol* **218**:940-948.

Verzijden, M.N. *et al.*, (2010). Sounds of male Lake Victoria cichlids vary within and between species and affect female mate preferences. *Behav Ecol* **21**:548-555.

How do fish hear?

Chapman, C.J. (1973). Field studies of hearing in teleost fish. *Helgolander wiss. Meeresunters* **24**: 371-390.

Fay, R. (2009). Soundscapes and the sense of hearing of fishes. *Integr Zool.* **4**(1):26-32.

Fay, R.R. & Popper, A.N. (2000). Evolution of hearing in vertebrates: The inner ears and processing. *Hear Res* **149**:1-10.

Mann, D.A. *et al.*, (1997). A clupeid fish can detect ultrasound. *Nature* **389**(6649): 341.

Popper, A.N., *et al.*, (2003). Sound detection mechanisms and capabilities of teleost fishes. In: Collin, S.P. & Marshall, N.J. (eds) *Sensory Processing in Aquatic Environments* Springer, New York, pp. 3-38.

Popper, A.N. & Schilt, C.R. (2008). Hearing and acoustic behavior: basic and applied characteristics. In: Webb, J., Fay, R.R. & Popper, A.N. (eds) *Fish Bioacoustics* Springer, New York, pp 17-48.

Passive acoustic monitoring

Baumgartner, M.F. *et al.*, (2014). Glider-based passive acoustic monitoring in the Arctic. *Mar Technol Soc J.* **48**(5):40-51.

Mann *et al.*, (2008). Active and passive acoustics to locate and study fish. In: Webb, J., Fay, R.R. & Popper, A.N. (eds) *Fish Bioacoustics* Springer, New York, pp 279-309.

Rountree, R., *et al* (2006). Listening to Fish: Applications of Passive Acoustics to Fisheries Science. *Fisheries.* **31**(9): 433-446.

Van Parijs, S. *et al.*, (2016). NEPAN: A U.S. Northeast Passive Acoustic Sensing Network for Monitoring, Reducing Threats and the Conservation of Marine Animals. *Mar Tech Soc J.* **49**(2): 70-86.

Cod and gadoid acoustics

Astrup & Møhl (1993). Detection of intense ultrasound by the cod *Gadus morhua*. *J Exp Biol.* **182**: 71–80.

Casaretto, L. *et al.*, (2014). Locating spawning haddock (*Melanogrammus aeglefinus* Linnaeus, 1758) at sea by means of sounds. *Fish Res.* **154**:127–134.

Casaretto, L. *et al.*, (2015). Seasonal patterns and individual differences in the calls of male haddock *Melanogrammus aeglefinus*. *J Fish Biol.* **87**:579–603.

- Casaretto, L. *et al.*, (2014). Locating spawning haddock (*Melanogrammus aeglefinus*, Linnaeus, 1758) at sea by means of sound. *Fish Res* **154**:127-134.
- Chapman, C. J. & Hawkins, A. D. (1973). Field study of hearing in the Cod, *Gadus morhua* L. *J Comp Physiol* **85**:147-167.
- Engen & Folstad, I. (1999). Cod courtship song: a song at the expense of dance? *Can J Zool.* **77**:542–550.
- Hawkins, A. D. & Chapman, C. J. (1975). Masked auditory thresholds in the cod, *Gadus morhua* L. *J. Comp Physiol* **103**:209-226.
- Finstad, J. L. & Nordeide, J. T. (2004). Acoustic repertoire of spawning cod, *Gadus morhua*. *Envir Biol Fish* **70**:427-433.
- Hawkins, A. & Amorim (2000). Spawning sounds of the male haddock, *Melanogrammus aeglefinus*. *Envir Biol Fish* **59**:29–41.
- Hawkins, A. & Chapman, C. (1966). Underwater sounds of the haddock, *Melanogrammus aeglefinus*. *J Mar Biol Assoc UK.* **46**:241-247.
- Hawkins, A.D. & Rasmussen, K.J. (1978). The calls of gadoid fish. *J Mar Biol Assoc UK.* **58**:891-911.
- Hawkins, A.D. *et al.*, (1967). Spawning of haddock in captivity. *Nature.* **215**:923–925.
- Hernandez, K.M. *et al.*, (2013). Acoustic monitoring of Atlantic Cod (*Gadus morhua*) in Massachusetts Bay: implications for management and conservation. *ICES J Mar Sci.* **70**(3):628-35.
- Hutchings, J.A. *et al.*, (1999). Spawning behaviour of Atlantic cod, *Gadus morhua*. *Can J Fish Aquat Sci* **56**:97–104.
- Nilsson, J. (2004). Acoustic behaviour of spawning cod (*Gadus morhua* L). Thesis: University of Bergen.
- Nordeide, J. T. & Kjellsby, E. (1999). Sound from spawning cod at their spawning grounds. *ICES J Mar Sci* **56**:326-332.
- Rowe, S. & Hutchings, J.A. (2004). The function of sound production by Atlantic cod as inferred from patterns of variation in drumming muscle mass. *Can J Zool.* **82**:1391–1398.
- Rowe, S. & Hutchings, J.A. (2006). Sound production by Atlantic cod during spawning. *Trans Am Fish Soc.* **135**:529–538.

Sand, O. & Hawkins, A.D. (1973). Acoustic properties of the cod swimbladder. *J Exp Biol.* **58**:797–820.

Templeman, W. & Hodder, V.M. (1958). Variation with fish length, sex, stage of sexual maturity and season, in the appearance and volume of the drumming muscles of the swimbladder in the haddock, *Melanogrammus aeglefinus*. *J Fish Res Board Can.* **15**:355–390.

Urazghildiiev, I. & Van Parijs, S. (2016). Automatic grunt detector and recognizer for Atlantic cod (*Gadus morhua*). *J Acoust Soc Am*, **139**(5): 2532-2540.

Vester et al. *et al.*, (2004). Click sounds produced by cod (*Gadus morhua*). *J Acoust Soc Am* **115**(2):914-919.

Wilson et al., (2014). Temporal variation and characterization of grunt sounds produced by Atlantic cod *Gadus morhua* and Pollack *Pollachius pollachius* during the spawning season. *J Fish Biol* **84**:1014-1030.

Other cod and haddock research in Massachusetts Bay

Armstrong, M.P. *et al.*, (2013). The application of small scale fishery closures to protect Atlantic cod spawning aggregations in the inshore Gulf of Maine. *Fish Res.*

Casaretto, L. *et al.*, (2015). Mating behaviour by the haddock (*Melanogrammus aeglefinus*). *Envir Biol Fish* **98**:913-923.

Dean, M.J. *et al.*, (2012). Disruption of an Atlantic cod spawning aggregation resulting from the opening of a directed gill-net fishery. *N Am J Fish Manag* **32**(1):124-34.

Dean, M.J. *et al.*, (2014). Fine-scale diel and gender-based patterns in behaviour of Atlantic cod (*Gadus morhua*) on a spawning ground in the Western Gulf of Maine. *ICES J Mar Sci.* **71**:1474-89.

Dean, M. J. *et al.*, (2012). Disruption of an Atlantic Cod Spawning Aggregation Resulting from the Opening of a Directed Gill-Net Fishery. *N Am J Fish Mangmt* **32**:124-134.

Fevolden, S. E. *et al.*, (2015). Extreme male-skewed sex ratios on spawning grounds for Atlantic cod *Gadus morhua* with typical coastal cod signatures of the Pan I (pantophysin) locus. *Sex Early Dev in Aq Org* **1**:133-142.

Hutchings, J. A. *et al.*, (1999). Spawning behaviour of Atlantic cod, *Gadus morhua*: evidence of mate competition and mate choice in a broadcast spawner. *Can J Fish Aquat Sci* **56**:97-104.

Lawson, G. L. & Rose, G. A. (2000). Small-scale spatial and temporal patterns in spawning of Atlantic cod (*Gadus morhua*) in coastal Newfoundland waters. *Can J Fish Aquat Sci* **57**:1011-1024.

Nordeide & Folstad. (2000). Is cod lekking or a promiscuous group spawner? *Fish and Fisheries* **1**, 90-93.

Rose, G. A. (1993). Cod spawning on a migration highway in the north-west Atlantic. *Nature* **366**:458-461.

Skjæraasen, J. E. *et al.*, (2011). Extreme spawning-site fidelity in Atlantic cod *ICES J Mar Sci.* **68**(7):1472-1477.

Zemeckis, D.R. *et al.*, (2014a). Spawning Dynamics and Associated Management Implications for Atlantic Cod. *Am J Fish Manag.* **34**:424-42.

Zemeckis, D.R. *et al.*, (2014b). Spawning site fidelity by Atlantic cod (*Gadus morhua*) in the Gulf of Maine: implications for population structure and rebuilding. *ICES J Mar Sci.* **71**:1356-65.

Anthropogenic effects on fish acoustics

Clark, C.W. *et al.*, (2009). Acoustic masking in marine ecosystems: intuitions, analysis, and implication. *MEPS.* **395**:201-22.

McCauley, R. *et al.*, (2003). High intensity anthropogenic sound damages fish ears. *J Acoust Soc Am* **113**:638-642.

Hastings, M. C. *et al.*, (1996). Effects of low-frequency underwater sound on hair cells of the inner ear and lateral line of the teleost fish *Astronotus ocellatus*. *J Acoust Soc Am* **99**:1759-1766.

Codarin, A. *et al.*, (2009). Effects of ambient and boat noise on hearing and communication in three fish species living in a marine protected area (Miramare, Italy). *Mar Poll Bull* **58**:1880-1887.

Holles, S. *et al.*, (2013). Boat noise disrupts orientation behaviour in a coral reef fish. *MEPS* **485**:295-300.

Luczkovich, *et al.*, (2016). The Lombard effect in fishes: How boat noise impacts oyster toadfish vocalization amplitudes in natural experiments. *Proc Meet Acoust* **27**:010035.

Luther, D. & Gentry, K. (2013). Sources of background noise and their influence on vertebrate acoustic communication. *Behaviour* **150**, 1045-1068

Nedelec, S. L. *et al.*, (2015). Impacts of regular and random noise on the behaviour, growth and development of larval Atlantic cod (*Gadus morhua*). *Proc Roy Soc B* **282**.

Popper, A.N. *et al.*, (2004). Anthropogenic sound: effects on the behavior and physiology of fishes. *Mar Technol Soc* **37**:35–40.

Popper, A.N. *et al.*, (2005). Effects of exposure to seismic airgun use on hearing of three fish species. *J Acoust Soc Am* **117**:3958–3971.

Popper, A.N. *et al.*, (2007). The effects of high-intensity, low-frequency active sonar on rainbow trout. *J Acoust Soc Am* **122**:623–635

Radford, A. N., *et al.*, (2014). Acoustic communication in a noisy world: can fish compete with anthropogenic noise? *Behav Ecol* **25**:1022-1030.

Sierra-Flores, R., *et al.*, (2015). Stress response to anthropogenic noise in Atlantic cod *Gadus morhua* L. *Aqua Eng* **67**:67-76.

Vasconcelos, R. O. *et al.*, (2007). Effects of ship noise on the detectability of communication signals in the Lusitanian toadfish. *J Exp Biol* **210**:2104-2112.

Wright, A. J. *et al.* (2007). Anthropogenic Noise as a Stressor in Animals: A Multidisciplinary Perspective. *Intl J Comp Psych* **20**.

Wysocki, L. E. & Ladich, F. (2005). Hearing in Fishes under Noise Conditions. *J Assoc Res Otol* **6**:28-36.